# Doeve Brokers yachts & ships



Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

none	+31 (0)10 2	48 98 30
obile	+31 (0)653	20 20 84

E-mail info@doevem Website www.doevem www.doeve.b www.doeve.fr

Р

Μ

info@doevemakelaar.nl www.doevemakelaar.nl www.doeve.be

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



# Super Lingekruiser 13.65 GSAK

Dimensions (m)	13.65 x 3.65 x 1.10	Ref. no.	200302
Mooring	Near Rotterdam, Netherlands	Year	1978
		Material	steel

#### Vision Doeve Brokers

New interior and new techniques in a classic motor yacht. In 2011, this motor yacht was completely emptied and painted on the inside before professionals installed new engines, a generator and electricity. Then the carpenter went to work and installed a very high-quality interior. The vessel returned into service in 2013. During the refit, there was decided to equip the vessel for long journeys with 2 people, with a comfortable 2-persons French bed and an extra sleeping place on the dinette to accommodate guests. In our eyes, the refit has been very successful and she is a very good ship to make long journeys on European inland waterways.

# General information

Yard:	Yard Heukelum
Yard rebuilt:	Drinkwaard Marine techniek, NL-Sliedrecht
	Interior: W. Drinkwaard, NL-Hardinxveld-Giessendam
	electricity: Rumar Electro, NL-Zuilichem
Rebuilt year:	2011 / 2013
Hull shape:	hard chine
Hull material:	steel
Deck material:	steel
	Flexiteek decks (2012 / 2013)
Superstructure material:	steel
Construction method:	aftcabin
	rubbing strake
	stainless steel bollards
Steering system:	hydraulic
	inside and outside steering position
	2x wheel
	2x steel rudder
Windows:	aluminium windows frames
	toned glass
	aluminium windshield
Displacement (approx.):	15 ton
Ballast (approx.):	present
	trim ballast
Airdraft (approx.):	3,50 m
	2,95 m everything down
Owner:	Dutch owner
Colour / Paint System:	two component basic system
	one component finish
	white hull
	white superstructure
	very well maintained
Suitable for / as:	inland waterways
	recreational vessel
General information:	good sailing characteristics
Additional information:	classic motor yacht
	motor cruiser GSAK
	Great vessel for cruising on the European canals and rivers.
	Great vessel for cruising on the French canals and rivers.

#### **Technical information**

Enginepower:	2x 64 Hp
	2x 47 kW
Engine brand:	2x Mitsubishi
Revolutions:	2x 2300 RPM
Engine model:	2x S4S

Our offer is not binding. Provided information is deemed to be correct but is not guaranteed. The Hiswa General Conditions For Mediation Vessels of the Hiswa Association are apply. Registered at the clerk of the districts court's office in Amsterdam.

Number of cylinders:	2x 4
Construction year engine:	2x 2011
Running hours (approx.):	starboard 650
rianning nours (approx.).	portside 650
Fuel:	diesel
Fuel tank (approx.):	2x 200 litre
	plastic tank(s) (2011)
Cooling system:	2x closed
5,	cooling pipes
	2x dry exhaust
Propulsion:	2x 3 blade propeller
	2x greased lubrication of propeller shaft
	greasing device
	2x Python constant velocity prop shaft with thrust bearing (2011)
Gearbox:	2x Velvet hydraulic
	2011 reconditioned
Speed (approx.):	11 km/hour cruising speed at 1800 RPM
	16 km/hour top speed
Heating:	Eberspächer hot air heating
	on diesel
Engine instruments:	present
Bow thruster:	Craftsman electric bow thruster
	24 Volt
	115 KGF
Electricity system:	12 / 24 / 230 Volt
	230 Volt shore power connection
	professionally installed system
	new system (2011 / 2013)
	Victron Multicontrol
Batteries:	2x 260 Ah starter batterie(s)
	6x 260 Ah domestic batterie(s)
	1 starter batterie(s) generator
	Victron BMV 600S battery monitor
	Victron Charge control
Battery charger:	Mastervolt Mass battery charger 12/40
	Victron Quatro combi inverter/charger 24/5000/120 (2012)
Battery isolator:	2x Victron Argofet battery isolator (2012)
Isolation transformer:	Victron Galvanic Diode Isolator VDI-16 (2012)
Earth-leakage breaker:	present
Genny:	Mitsubishi diesel (2013)
	7,5 kVA
	1500 RPM
	230 Volt
	130 running hours (approx.)
	wet exhaust with water separator
Inverter:	Victron Quatro combi inverter/charger 24/5000/120 (2012)
Fresh water tank (approx.):	500 litre
	1x steel tank(s) &
	1x plastic tank(s)
Water pressure system:	electric water pump

Hot water system:	Isotherm boiler/water calorifier via 230 Volt and engine cooling system (2012)	
	50 litre	
Holding tank (approx.):	1 steel tank(s)	
	not yet in use	
Diesel waterseparator:	present	
Engineroom:	see photographs	
Bilge pump:	1x electric pump	
Deck wash pump:	1x electric pump	
Gas system:	no gas on board	
Additional information:	LED lightning	

# Accommodation

Interior:	teak interior
	Plywood
	luxurious interior
	perfectly, see photographs
Insulation:	yes
	Rockwool with aluminium foil
Cabins:	1 cabin
Berth:	owners cabin: 1x 2 pers
	= French bed
	Dinette: 1x 2-pers
Lay-out plan (not to scale):	see attachment
Bathroom:	washbasin with hot & cold running water
	shower
	thermostat tap
	in 1 area together with the toilet
Toilet / Heads:	electric toilet
Galley:	L-shape galley
Cooker:	4-burner hob
	induction cooker
	cookerhood
	stainless steel
Oven:	microwave/oven
	& grill
Fridge / Refrigerator:	Siemens fridge / refrigerator
	230 Volt
Freezer:	small ice compartment
Worktop:	formica worktop
Washbasin:	stainless steel sink
Water tap:	mixer tap with hot & cold running water
Entertainment:	2x flatscreen TV
Headroom (approx.):	forward (approx.) 1,92 m
	salon (approx.) 1,93 m
	wheelhouse (approx.) 1,91 m
	aftcabin (approx.) 1,77 m
	bathroom / toilet (approx.) 1,78 m
Additional information:	The vessel will be delivered as without the private goods like furniture, clothing, artwork and tools.

## Navigation equipment

Cruiser depth / echosounder
rudder indicator
navigation lights
laptop navigation computer
PC Navigo
2x window wiper
horn
search light
clock

# Rigging and sails

Mast:	hard wood
Lowerable:	yes
	manual

## Equipment

Anchor equipment:	manual anchor winch
	anchor with chain
	in hawse-hole
Awnings:	winter cover(s)
Bimini:	sun awning
Boarding ladder:	present
	stainless steel
Swimming platform:	integral
	with teak
Searail / Pulpit:	guardrail around
	with teak on top of guardrail
Safety:	fire extinguisher
	life buoy
	fire blanket
	3 smoke detector(s)
Additional information:	4x stainless steel fender holder
	set deck furniture
	sundeck
	1 foldable Bike(s)