











Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



Cruising Barge 17.08

Dimensions (m) 17.08 x 3.88 x 1.17 Ref. no. 200808

Mooring Near Breda, Netherlands Year 1937

Material steel

Vision Doeve Brokers

Former management vessel that has been converted into a cruising Live Aboard barge. The vessel was renovated around 2001 and fully adapted for disabled people. For example, this vessel is equipped with a hydraulic deck crane, extra wide gangways and there are 2 stairlifts inside. The wheelhouse offers a good all-round visibility and is equipped with a seating area with table and gives access to the front cabin with 2-persons sleeping place and toilet. The aft deck gives access to the salon, galley and wet cell with toilet and shower. This sturdy ship is available immediately.

General information

Yard: Shipyard Naval de Rupelmonde, B-Rupelmonde

Hull shape: round bilged

Hull material: steel
Deck material: steel
Superstructure material: steel

aluminium wheelhouse

Construction method: riveted

new steel is welded

deckhouse

rubbing strake around

canoe stern

Steering system: hydraulic

wheel

Windows: bronze window frames

aluminium windows frames

double glazing in wheelhouse

Displacement (approx.): 43 ton

Airdraft (approx.): 3,00 m everything down

Owner: Dutch owner

Colour / Paint System: blue hull

white superstructure

last underwatership treatment (2017)

overdue maintenance

Suitable for / as: inland waterways

recreational vessel

Additional information: forepeak with chain locker

Great vessel for cruising on the European canals and rivers.

Great vessel for cruising on the French canals and rivers.

Technical information

Enginepower: 134 Hp

99 kW

Engine brand: MWM
Revolutions: 1000 RPM
Engine model: RHS 518 S

Number of cylinders: 6
Construction year engine: 1954
Fuel: diesel
Fuel tank (approx.): 2x 470 litre

2x 600 litre

1x 80 litre

steel tank(s)

Cooling system: intercooling

dry exhaust

insulated exhaust

Propulsion: 4 blade propeller

oil bath propeller stern tube

Gearbox: Lohmann & Stolterfoht

Heating: Webasto hot air heating

on diesel

Bow thruster: Vetus electric bow thruster

290 KGF

Electricity system: 24 / 230 Volt

230 Volt shore power connection

Batteries: 2x 225 Ah starter batterie(s)

4x 265 Ah domestic batterie(s)

Battery charger: Mastervolt Dakar combi inverter/charger 24/1800/35

Mastervolt management system

Battery isolator: present

Inverter: Mastervolt Dakar combi inverter/charger 24/1800/35

Fresh water tank (approx.): 1x 1000 litre

Water pressure system: hydrophore pump

Hot water system: boiler/water calorifier via 230 Volt and engine cooling system

Holding tank (approx.): present Gas system: present

Accommodation

Interior: teak interior

see photographs

Insulation: glass wool with aluminium foil

Cabins: 1 cabin

Berth: owners cabin: 1x 2-pers

Aft: 1x 2-pers

Lay-out plan (not to scale): see attachment

Bathroom: Aft:

shower

hot & cold running water

in 1 area together with the toilet

Toilet / Heads: Forward:

electric toilet

washbasin with hot & cold running water

Aft:

electric toilet

Galley: L-shape galley

Cooker: 2-burner hob

on gas

stainless steel

Fridge / Refrigerator: Dometic fridge / refrigerator

Freezer: small ice compartment

Worktop: plastic worktop

Washbasin: stainless steel sink

Water tap: mixer tap with hot & cold running water

Entertainment: radio/CD player

Headroom (approx.): foc's hole (approx.) 2,03 m

bathroom / toilet in the front (approx.) 1,95 m wheelhouse (approx.) 1,99 m

aftcabin (approx.) 1,78 m

bathroom / toilet aft (approx.) 1,75 m

Navigation equipment

Navigation equipment: ICOM IC-M 59 euro VHF

rudder indicator

compass

clock

barometer

hygrometer

search light window wiper

.

horn

navigation lights

Rigging and sails

Mast: lantern mast

aluminium

Lowerable: yes

manual

Equipment

Anchor equipment: manual anchor winch

anchor

in hawse-hole

100 m anchor chain

specified length(s) is/are approximate

Bimini: bimini top above aftdeck

Searail / Pulpit: guardrail around

Safety: fire extinguisher

life buoy

2x inflatable life jackets

bilge alarm

Additional information: hydraulic crane

aluminium gangway

deck lights

steering chair

sundeck