












Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



# Sailingclipper 25.36 with TRIWV

## Sold

VAT not applicable

Dimensions (m) 25.36 x 4.64 x 1.30 Ref. no. 221004

Mooring Near Amsterdam, Netherlands Year 1921

Material steel

#### Vision Doeve Brokers

Former inland freighter that was completely converted into her current sailing status quo in the 1990s. This Dutch Barge is equipped with a very neat living quarter with a spacious owner's cabin, open galley/kitchen, salon and an aft cabin/deckhouse with good view to the outside, in which also the inside steering position is located. It is an excellent ship to live on, with which you could also make long journeys. For example, it is possible to cruise on the inland waterways of the Netherlands, Belgium, Germany and France by removing the masts. If a new owner wants to sail or cruise on the motor on the more open waters, she will also come into her own.

## General information

General information	
Yard:	Shipyard B-Boom
Hull shape:	flatbottom
Hull material:	steel
Deck material:	steel
Superstructure material:	steel
Construction method:	riveted
	new steel is welded
	bulwark around
	rubbing strake around
	deckhouse
	deckhouse
	wide side decks (gunnels)
	1 watertight bulkhead(s)
Keel:	centreboard
Steering system:	hydraulic
3 ,	inside and outside steering position
	2x wheel
Windows:	hardwood window frames
	double glazing
	& single glass
Displacement (approx.):	maximum allowable displacement 93,081 m <sup>3</sup>
ториности (орргот)	displacement in empty condition 67,304 m <sup>3</sup>
	displacement 25,777 m <sup>3</sup>
Ballast (approx.):	12 metric tons
Ballaot (approx.).	concrete tiles
Airdraft (approx.):	22,00 m
γιι αι αιτ (αρρισκι):	mast(s) removed 3,30 m
Owner:	Dutch owner
Registration:	Dutch registered
. region and	B-registered
	Costs for the change of ownership and / eventually deletion are for purchasers amount.
Colour / Paint System:	bordeaux red hull
Colodi / Faint Cyclem.	bordeaux red bulwark
	cream superstructure
	see photographs
	last underwatership treatment 08-2020
Certificates:	inland waterways certificated (TRIWV / ES-TRIN)
Ochinicates.	zone 2 Netherlands
	zone 3
	zone 4
	Waal, Lek & NL Rhine
	valid until: 09-2027
Suitable for / as:	suitable as a year round live- aboard
oultable for / as.	recreational vessel
	suitable for bigger waterways
General information:	inland waterways
General information:	good sailing characteristics

can be sailed by 2 persons
Hand over in consultation.

Additional information:
all the bad steel is replaced
Hull shape is suitable for drying out.
spacious aftdeck
straight hull
wheelhouse
forepeak with chain locker
Great vessel for cruising on the European canals and rivers.
Great vessel for cruising on the French canals and rivers.

#### **Technical information**

Enginepower: 125 Hp

92 kW

Engine brand: Mercedes
Revolutions: 1600 RPM
Engine model: OM352

Number of cylinders: 6

Overhaul engine: 1999 reconditioned Running hours (approx.): 400 after overhaul

as declared

Fuel: diesel

Fuel tank (approx.): 1x 1100 litre

1x 200 litre steel tank(s) 1x 500 litre

stainless steel tank(s)

Cooling system: intercooling

dry exhaust

insulated exhaust

Propulsion: 3 blade propeller

greased lubrication of propeller shaft

Gearbox: Reintjes hydraulic

reduction/ratio 2:1

Heating: Domomatic central heating

on diesel

& stove on wood

Bow thruster: Rheinstrom electric bow thruster

8 kW 400 Volt

Electricity system: 12 / 24 / 230 / 400 Volt

230 Volt shore power connection

Victron Phoenix Multi Control

Batteries: 2x 120 Ah starter batterie(s)

1x 120 Ah starter batterie(s) generator

4x 230 Ah domestic batterie(s)

Battery charger: Victron Phoenix Multi combi inverter/charger 24/3000/70

Rebotool battery charger 12-24/20

Victron Skylla-TG battery charger 24/50

Isolation transformer: Victron isolation transformer 3600 Watt

Earth-leakage breaker: present

Mercedes OM615 diesel genny Genny:

15 kVA 230 / 400 Volt

1500 RPM

Inverter: Victron Phoenix Multi combi inverter/charger 24/3000/70

Fresh water tank (approx.): 1300 litre

2 stainless steel tank(s)

Water pressure system: hydrophore pump

Hot water system: Rheinstrom boiler/water calorifier (230 Volt)

70 litre

500 litre Holding tank (approx.):

> 2 steel tank(s) not connected

& Homa macerator wastewater pump

Engineroom: see photographs

very well maintained

2x electric pump Bilge pump: Deck wash pump: 1 submersible pump Gas system: no gas on board

Additional information: partly LED lightning

#### Accommodation

Interior: Marine Plywood

Jatoba

Jatoba floor(s)

suitable for living on board

see photographs

Insulation: yes

well insulated

Rockwool &

glass wool

Cabins: 3 cabins

Forward: 1x 1-pers Berth:

owners cabin: 1x 2-pers

Guest cabin(s): 1x 1½-pers

Lay-out plan (not to scale): see attachment

bath with shower

Bathroom:

thermostat tap

washbasin with mixer tap and hot & cold running water

in 1 area together with the toilet

Toilet / Heads: toilet

Galley: along ships Cooker: 4-burner hob

ceramic cooker

Oven: Samsung microwave/oven

Fridge / Refrigerator: present

230 Volt

small ice compartment Freezer:

Worktop: oak wooden worktop Washbasin: stainless steel sink

Water tap: mixer tap with hot & cold running water

Dishwasher: Siemens dishwasher Headroom (approx.): foc's hole (approx.) 1,80 m

ownerscabin (approx.) 1,98 m

corridor / walkthrough (approx.) 2,00 / 1,60 m

bathroom / toilet (approx.) 2,00 m guest cabin (approx.) 2,00 m galley (approx.) 2,00 m

salon (approx.) 2,01 m aftcabin (approx.) 1,93 m

Additional information: washing machine

The vessel will be delivered as without the private goods like furniture, clothing, artwork

and tools.

### Navigation equipment

Navigation equipment: True Heading Automatic Identification System (AIS)

> 2x Shipmate RS 8000 VHF blue board with oscillating light

navigation lights

clock barometer hygrometer thermometer

### Rigging and sails

Rigging type: gaff ketch rigged

square rigged

Mast: 2x steel

Lowerable: no

Boom: aluminium Gaff: aluminium

Jib boom / Bowsprit: Oregon Pine bowsprit

Leeboards: centerboard Winches: 2x halyard winch

Material of the sails: Dacron

Sails: yankee 29 m<sup>2</sup>

> yankee 27 m<sup>2</sup> mizzen 65 m² flyer 21 m<sup>2</sup> flyer 31 m<sup>2</sup> flyer 34 m<sup>2</sup>

square sail 36 m<sup>2</sup>

square sail 34 m<sup>2</sup>

Additional information: pin rail

bobstay

# Equipment

1 1	
Anchor equipment:	manual anchor winch
	Klipp anchor
	anchor chain
	in hawse-hole
	warping drum
Searail / Pulpit:	searail on bulwark
Davits:	present
Safety:	fire extinguishers
	life buoys
	inflatable life jackets
	life jackets
	according to the certification requirements
Additional information:	Survey report of the underwatership is available 08-2020
	hard wooden skylight

