



Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone	+31 (0)10 248 98 30
Mobile	+31 (0)653 20 20 84
E-mail	info@doevemakelaa

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be

www.doeve.fr IBAN NL82 INGB 0664 0466 73

CoC Rotterdam 24266857 VAT NL8214.04.520.B01



Tugboat 20.52 with TRIWV

Dimensions (m)	20.52 x 5.08 x 1.77	Ref. no.	180401
Mooring	Near Rotterdam, Netherlands	Year	1930
		Material	steel

Vision Doeve Brokers

Former inland motor tug that is now equipped as a recreational vessel and is very suitable for residential use. The interior is very spacious for a tugboat and all rooms, except the wheelhouse and the engine room, are connected with each other. Equipped with a beautiful solid Kromhout engine that in 2006 really new (so not overhauled) was installed. In 2006, the boat has been converted very thoroughly. In 2017 the TRIWV certification was realized and this is valid until 09-2024. The external characteristics are still almost the same as when she was launched the first time, so therefore she is in our eyes eligible for a berth in almost every museum harbor.

General information

Yard:	Shipyard Gebr. Kooiman, NL-Zwijndrecht
Hull shape:	round bilged
Hull material:	steel
Deck material:	steel
Superstructure material:	steel
	teak top side of the wheelhouse
Construction method:	riveted
	rubbing strake around
	wide side decks (gunnels)
	bulwark around
	deckhouse
	4 watertight bulkhead(s)
	2 watertight door(s)
Keel:	bilge keels
Steering system:	manual hydraulic steering
	joystick
Windows:	teak wood window frames
	teak wooden outside doors
Displacement (approx.):	80 ton
	maximum allowable displacement 112,013 m3
	displacement in empty condition 94,772 m3
	displacement 17,241 m3
Ballast (approx.):	10 ton poured concrete
Airdraft (approx.):	5,00 m everything down
Owner:	Dutch owner
Registration:	B-registered
	Costs for the change of ownership and / eventually deletion are for purchasers amount.
Colour / Paint System:	see photographs
	one component system
	2006 underwater ship and hull sandblasted
	two component system
	09-2017 last underwatership treatment
Certificates:	inland waterways certificated (TRIWV / ES-TRIN)
	zone 2 Netherlands
	zone 3
	zone 4
	Waal, Lek & NL Rhine
	valid until: 09-2024
Suitable for / as:	suitable as a year round live- aboard
	suitable for bigger waterways
	inland waterways
	recreational vessel
General information:	The ship is recognized as a Historic Vessel
Additional information:	beautiful sheer
	Hull shape is suitable for drying out.
	spacious aftdeck
	forepeak with chain locker

tug
straight hull
tug bitts
towing hook
Great vessel for cruising on the European canals and rivers.

Technical information

rechnical information	
Enginepower:	240 Hp
	176 kW
Engine brand:	Kromhout
Revolutions:	1200 RPM
Engine model:	TV12
Number of cylinders:	V-12
Construction year engine:	1972, 2006 into operation
Running hours (approx.):	800
Fuel:	diesel
	15 ltr/hrs consumption of the engine at cruising speed (as declared)
Fuel tank (approx.):	1x 800 litre
	1x 1500 litre
	low level alarm
	sludge trap(s)
Cooling system:	intercooling
	dry exhaust
	insulated exhaust
Propulsion:	3 blade propeller
	greased lubrication of propeller shaft
Gearbox:	Dong II hydraulic (2006)
	reduction/ratio 4,5:1
Speed (approx.):	15 km/hour cruising speed at 1000 RPM
Heating:	ACV central heating
	on diesel
Bow thruster:	Duco electric bow thruster (2006)
	400 Volt
	11 kW
Electricity system:	12 / 24 / 230 / 400 Volt
	400 Volt shore power connection
Batteries:	4x 230 Ah domestic batterie(s) (09-2017)
	2x 165 Ah starter batterie(s) (09-2017)
	1x 135 Ah starter batterie(s) generator (03-2017)
Battery charger:	1x BT systems battery charger 400 Volt-24 Volt, 120 Ah
	Victron Blue Smart battery charger 24/16
	Victron Blue Smart battery charger 24/8
	CTEK battery charger 12/8
Earth-leakage breaker:	present
Genny:	Perkins diesel (2006)
	35 kVA 230/400 Volt, 1500 RPM
	1950 running hours (approx.)
Inverter:	Victron Phoenix inverter 24/3000
Solar panels:	present
1	•

Fresh water tank (approx.):	1x 3000 litre
	steel tank(s)
	cemented tank(s)
Water pressure system:	hydrophore pump
Fresh water filter system:	fresh water filter system
Hot water system:	60 ltr boiler/water calorifier (230 Volt)
Holding tank (approx.):	400 litre
	stainless steel tank(s)
Engineroom:	see photographs
Bilge pump:	submersible pump
Deck wash pump:	electric pump
	230 Volt
Gas system:	no gas on board
Additional information:	spare propeller
	air compressor

Accommodation

Interior:	mahogany interior
interior.	suitable for living on board
	see photographs
Insulation:	foamed insulation
Cabins:	1 cabin
Berth:	owners cabin: 1x 2-pers
	Dinette: 1x 2-pers
Lay-out plan (not to scale):	see attachment
Bathroom:	tiled bathroom
	jacuzzi
	shower
	washbasin with hot & cold running water
	in 1 area together with the toilet
Toilet / Heads:	electric toilet
Galley:	sideways
Cooker:	4-burner hob
	ceramic cooker
	cookerhood
	stainless steel
Oven:	Siemens microwave/oven
Fridge / Refrigerator:	present
	230 Volt
Freezer:	present
	230 Volt
Worktop:	plastic worktop
Washbasin:	stainless steel sink
Water tap:	hot & cold running water
Dishwasher:	Bosch dishwasher
Entertainment:	JVC radio/CD player
	2x flatscreen TV
Headroom (approx.):	wheelhouse (approx.) 1,97 m
	cabin (approx.) 1,80 m

	salon (approx.) 1,82 m
	bathroom (approx.) 2,16 m
	corridor / walkthrough (approx.) 1,66 m
	ownerscabin (approx.) 1,83 m
Additional information:	The vessel will be delivered as without the private goods like furniture, clothing, artwork
	and tools.
	washing machine
	tumble dryer
	infrared sauna

Navigation equipment

Navigation equipment:	Simrad EQ30 depth / echosounder
	Simrad CP30 GPS
	Sailor RT2048 VHF
	Sailor RT144C VHF
	Explorer A4 Automatic Identification System (AIS)
	laptop chartplotter
	compass
	rudder indicator
	blue board
	horn
	ships bell
	clinometer
	horn light
	navigation lights
	2x search light

Rigging and sails	
Mast:	lantern mast
	wood
Lowerable:	yes
	manual

Equipment

Anchor equipment:	manual anchor winch with electric motor (400 Volt)
	2x Klipp anchor
	in hawse-hole
	2x 30 m anchor chain
	specified length(s) is/are approximate
Bimini:	bimini top above aftdeck
Dinghy:	present
Davits:	present
Safety:	fire extinguishers
	life buoys
	life jackets
	according to the certification requirements

	bilge alarm
	safe
Additional information:	Survey report of the underwatership is available (09-2017)
	aluminium gangway