



Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Website

the Malada

Jachten & schepen
The second second

 Phone
 +31 (0)10 248 98 30

 Mobile
 +31 (0)653 20 20 84

 E-mail
 info@doevemakelaar.nl

info@doevemakelaar.nl www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01

Dutch Barge 12.00 GSAK

Dimensions (m)	12.00 x 3.60 x 1.10	Ref. no.	190106
Mooring	Near Tiel, Netherlands	Year	1957
		Material	steel

Vision Doeve Brokers

Former inland vessel that has been rebuilt into a motor yacht with an inside and outside steering position. Until the late 70s she served as a peddler on the waterways after which she was converted into a pleasure yacht. The layout from front to back is as follows: 2x 1-persons bed, dinette, galley, salon with steering position, aft cabin and toilet. The aft deck is spacious and can be covered with the bimini. She is a sturdy and heavily built ship that has been painted very well. This boat has a very large sailing area that extends from the Baltic Sea to the Mediterranean and from Eastern Europe to the United Kingdom.

General information

Yard:	Shipyard van Rossum, NL-Dreumel
Yard rebuilt:	Tak, NL-Raamsdonkveer
Rebuilt year:	1978/1979
Hull shape:	round bilged
Hull material:	steel
Deck material:	steel
Superstructure material:	steel
Construction method:	riveted and welded hull
	aftcabin
	canoe stern
	bollards
	cleats
	welded superstructure
Steering system:	mechanical
	wheel
	inside and outside steering position
Windows:	rubber window frames
	3x aluminium windows frames
Displacement (approx.):	13 ton
Ballast (approx.):	trim ballast
	poured concrete
Airdraft (approx.):	2,40 m everything down
Owner:	Dutch owner
Colour / Paint System:	green hull
	white superstructure
	one component system
	antifouling (2016)
	well maintained
	not a smooth filled paint system
Suitable for / as:	recreational vessel
Additional information:	rope fender around
	bow fender

Technical information

Enginepower:	105 Hp
	77 kW
Engine brand:	DAF
Revolutions:	2400 RPM
Engine model:	DD575
Number of cylinders:	6
Construction year engine:	1966
Running hours (approx.):	5100 on the hour counter
Fuel:	diesel
Fuel tank (approx.):	2x 225 ltr steel tank(s)
Cooling system:	closed

	box cooler
	dry exhaust
Propulsion:	4 blade propeller
	greased lubrication of propeller shaft
Gearbox:	Paragon hydraulic
Speed (approx.):	14 km/hour top speed
	12 km/hour cruising speed at 1600 RPM
Bow thruster:	Duco electric bow thruster
	24 Volt
Electricity system:	24 / 230 Volt
	230 Volt shore power connection
Batteries:	2x 220 Ah starter batterie(s)
	2x 160 Ah domestic batterie(s)
Battery charger:	Ferm battery charger 12/24-20
Battery isolator:	present
Solar panels:	2x 130 Watt
Fresh water tank (approx.):	1x 250 ltr stainless steel tank(s)
Water pressure system:	electric water pump
	hydrophore pump
Diesel waterseparator:	present
Engineroom:	very well maintained
Gas system:	bottlebox
	ventilated
Additional information:	spare propeller

Accommodation

Interior:	various materials have been used
interior.	
	see photographs
Insulation:	glass wool
Cabins:	1 cabin
Berth:	V-bunk: 2x 1-pers
	Dinette: 2x 1-pers
	owners cabin: 2x 1-pers
Lay-out plan (not to scale):	see attachment
Toilet / Heads:	hand pumptoilet
	tiled toilet
Galley:	along ships
Cooker:	3-burner hob
	on gas
Fridge / Refrigerator:	Waeco 24 Volt
Freezer:	small ice compartment
Worktop:	plastic worktop
Washbasin:	stainless steel sink
Water tap:	cold running water
Entertainment:	radio/CD player
Headroom (approx.):	forward (approx.) 1,69 m
	galley (approx.) 1,71 m
	salon (approx.) 1,88 m
	toilet (approx.) 1,70 m

	aft (approx.) 1,55 m
Additional information:	The vessel will be delivered as without the private goods like furniture, clothing, artwork
	and tools.

Navigation equipment

Navigation equipment:	Sailor RT2048 VHF
	navigation lights
	window wiper
	horn
	barometer
	hygrometer
	thermometer

Rigging and sails

Mast:	lantern mast
	teak
Lowerable:	yes
	manual

Equipment

Anchor equipment:	manual anchor winch
	warping drum
	Pool anchor
	anchor chain
	in hawse-hole
Bimini:	bimini top above aftdeck
Searail / Pulpit:	guardrail around
Safety:	fire extinguisher
	life buoy
Additional information:	teak wooden skylight
	cover over skylight
	stainless steel fender holder