



Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone

| | Doeve Makelaars |
|---|--|
| | |
| | |
| | |
| A | WATERBOOT WERKPLAATE 6 - 53 13 13 44 |
| | |
| | |

Mobile +31 (0)653 20 20 84 E-mail info@doevemakelaar.nl www.doevemakelaar.nl www.doeve.be

www.doeve.fr

+31 (0)10 248 98 30

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01

Dutch Barge 22.27 with TRIWV

| Dimensions (m) | 22.27 x 4.85 x 1.20 | Ref. no. | 190407 |
|-------------------|-----------------------------|----------|--------|
| Mooring | Near Amsterdam, Netherlands | Year | 1919 |
| Price information | reduced in price | Material | steel |

Vision Doeve Brokers

Former inland deck barge which originally was fitted out with a ship's engine, she is partly converted into a Sailing Live aboard barge. Equipped with a wheelhouse, spacious engine room and a living with a bathroom, bedroom and a salon with open galley. Under the front deck there is a large storage room. It is possible to extend the superstructure further to the front and thereby to realize a lot more living space. The beam of the barge means that, despite the fact that the living area is not too large, there is more than enough room to live on it.

General information

| acheral internation | |
|-------------------------|--|
| Yard: | Shipyard Czaar Peter, NL-Zaandam |
| Hull shape: | flatbottom |
| Hull material: | steel |
| Deck material: | steel |
| Construction method: | riveted |
| | new steel is welded |
| | wide side decks (gunnels) |
| | rubbing strake around |
| | 2x bulkhead |
| | Sturdy, heavily constructed |
| Steering system: | hydraulic |
| | wheel |
| | steel rudder |
| Windows: | aluminium windows frames |
| | & rubber window frames |
| | hardwood outside doors |
| Airdraft (approx.): | 3,45 m |
| Registration: | Dutch registered |
| | Costs for the change of ownership and / eventually deletion are for purchasers amount. |
| Colour / Paint System: | black hull |
| | grey bulwark |
| | grey superstructure |
| | very well maintained |
| | see photographs |
| | last underwatership treatment (01-2018) |
| Certificates: | inland waterways certificated (TRIWV / ES-TRIN) |
| | zone 2 Netherlands |
| | zone 3 |
| | zone 4 |
| Suitable for / as: | inland waterways |
| | suitable as a year round live- aboard |
| | & recreational vessel |
| Additional information: | Hull shape is suitable for drying out. |
| | roomy foredeck |
| | Great vessel for cruising on the European canals and rivers. |
| | Great vessel for cruising on the French canals and rivers. |

Technical information

| Enginepower: | 120 Hp |
|----------------------|----------|
| | 88 kW |
| Engine brand: | DAF |
| Revolutions: | 2400 RPM |
| Engine model: | DT575 |
| Number of cylinders: | 6 |
| Fuel: | diesel |

Our offer is not binding. Provided information is deemed to be correct but is not guaranteed. The Hiswa General Conditions For Mediation Vessels of the Hiswa Association are apply. Registered at the clerk of the districts court's office in Amsterdam.

| Fuel tank (approx.): | present, unknown volume |
|-----------------------------|--|
| | 1 steel tank(s) |
| Cooling system: | intercooling |
| | dry exhaust |
| | insulated exhaust |
| Propulsion: | 3 blade propeller |
| | greased lubrication of propeller shaft |
| Heating: | central heating |
| | not connected |
| Bow thruster: | Cupa electric bow thruster |
| | 24 Volt |
| Electricity system: | 230 Volt |
| | 230 Volt shore power connection |
| Batteries: | 2x 230 Ah bow thruster batterie(s) |
| | starter batterie(s) |
| Genny: | petrol (gasoline) |
| Fresh water tank (approx.): | 600 litre |
| | stainless steel tank(s) |
| Water pressure system: | electric water pump |
| Engineroom: | see photographs |
| Gas system: | no gas on board |

Accommodation

| Interior: | various materials have been used |
|------------------------------|------------------------------------|
| | oak finish |
| | simple interior |
| | see photographs |
| Insulation: | yes |
| Cabins: | 1 cabin |
| Berth: | 1x 2-pers |
| Lay-out plan (not to scale): | see attachment |
| Bathroom: | shower cubicle |
| | thermostat tap |
| | washbasin |
| | tiled bathroom |
| | in 1 area together with the toilet |
| Toilet / Heads: | hand pumptoilet |
| Galley: | along ships |
| Worktop: | plastic worktop |
| Headroom (approx.): | wheelhouse (approx.) 1,98 m |
| | ownerscabin (approx.) 1,95 m |
| | bathroom / toilet (approx.) 1,94 m |
| | salon (approx.) 1,95 m |

Navigation equipment

| Navigation equipment: | Navman 7100 VHF with DSC |
|-----------------------|---------------------------------------|
| | Automatic Identification System (AIS) |

| horn |
|-------------------|
| 2x window wiper |
| navigation lights |

Rigging and sails

| Mast: | lantern mast |
|------------|--------------|
| Lowerable: | yes |
| | manual |

Equipment

| Anchor equipment: | manual anchor winch |
|-------------------------|--|
| | Pool anchor |
| | anchor chain |
| | in hawse-hole |
| Safety: | fire extinguishers |
| | life buoys |
| | according to the certification requirements |
| Additional information: | Survey report of the underwatership is available (01-2018) |
| | sundeck |