











Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



VSP Voith Schneider Tractor Tug

€ 499.000,--

reduced in price VAT 0 rate

Dimensions (m) 34.30/30.78 x 9.20 x 4.60/5.83 Ref. no. 200203

Mooring Near Rotterdam, Netherlands Year 1976

Price information reduced in price Material steel

Vision Doeve Brokers

Very good maneuverable Voith Schneider Tractor Tugboat with ABS class. The boat is in a very good condition and is immediately available. She is equipped with 2 Stork Werkspoor 9FDHD240 engines, 2 Voith Schneider units, 2 generators, 7 cabins, mess, clean interior, sauna, spacious well-maintained engine room, approx. 100 tons of diesel capacity, original 34 tons bollard pull, Norwinch S-400-2T winch, towing hook, rope winch with warping drum. Excellent for assistance in seaports and also very suitable for other types of sea towage services. Offered directly from the owner.

General information

Yard: Shipyard H.H. Bodewes B.V., NL-Millingen aan de Rijn Hull shape: round bilged Hull material: steel Deck material: steel Superstructure material: steel Construction method: welded Sturdy, heavily constructed bulwark rubbing strake around closed bollard cabinets 5 watertight bulkhead(s) Keel: 2x skeg Steering system: hydraulic 2x Voith Schneider heavy-duty system Displacement (approx.): 292 GT 87 NT **Dutch** owner Owner: Registration: **Dutch registered** B-registered Costs for the change of ownership and / eventually deletion are for purchasers amount. Colour / Paint System: black hull black bulwark white superstructure underwater ship sandblasted underwater epoxy protected last underwatership treatment 06-2021 Certificates: American Bureau of Shipping (ABS) +A1, Towing Service, E, +AMS NSI sailing area A1 & A2 Suitable for / as: commercial shipping tug seaworthy Additional information: Mampaey towing hook Norwinch S-400-2T winch with 2 drums & warping drum When this vessel is not / will not be used in the Netherlands as a seagoing vessel for 100% commercial purposes and for at least 70% of the time on the high seas, then the relevant

Technical information

Enginepower: 2x 1500 Hp

2x 1104 kW

Engine brand: Stork Werkspoor 2x 1000 RPM

Revolutions:

2x 9FDHD240/1000 air started Engine model:

VAT will be due in the Netherlands in addition to the asking price. Sale at 0% VAT to a foreign company is eventually possible if the buyer meets the applicable VAT guidelines. Number of cylinders: 2x9 Construction year engine: 1975

Fuel: diesel

Fuel tank (approx.): 9 steel tank(s)

> 2 daytank(s) 100 m3

Cooling system: 2x intercooling

2x insulated exhaust

Propulsion: 2x Voith Schneider 28G Speed (approx.): 10 knots cruising speed

11,5 knots top speed

Kabola central heating Heating:

on diesel

Electricity system: 24 / 230 / 400 Volt

Batteries: 4 emergency batterie(s)

2 radio batterie(s)

2 starter batterie(s) generator

Battery charger: present 2x 95 kVA Genny:

2x DAF 1160 diesel

2x 230/400 Volt

2x 6300 litre Fresh water tank (approx.):

steel tank(s)

Water pressure system: hydrophore pump

boiler/water calorifier (400 Volt) Hot water system:

Holding tank (approx.): 2 grey water tank(s)

1 black water tank(s)

Diesel waterseparator: diesel waterseparator

Engineroom: very well maintained

clean engineroom

ventilated

see photographs

Bilge pump: 3x general service pump

with manifold

Gas system: present Additional information:

fire pump

partly LED lightning

Accommodation

Interior: Formica with print interior

see photographs

very well maintained

Insulation: yes

Cabins: 7 cabins Berth: 6x 1-pers

1x 2-pers

Lay-out plan (not to scale): see attachment

Bathroom: cabins with wash basin with mixer tap

Forward:

shower thermostat tap in 1 area together with the toilet Aft: shower thermostat tap Toilet / Heads: flush toilet Galley: professionally equipped galley Cooker: 4-burner hob stainless steel cookerhood stainless steel in combination with the oven Oven: electric oven Microwave: present Fridge / Refrigerator: present 230 Volt combination with freezer Freezer: freezer Worktop: stainless steel worktop Washbasin: 2x stainless steel sink Water tap: hot & cold running water **Entertainment:** radio/CD player flatscreen TV Headroom (approx.): foc's hole (approx.) 2,33 m salon (approx.) 2,10 m wheelhouse (approx.) 2,17 m corridor / walkthrough (approx.) 2,22 m cabin (approx) 2,13 m bathroom / toilet in the front (approx.) 2,13 m galley (approx.) 2,12 m aftcabin (approx.) 2,03 m shower (approx.) 2,03 m sauna 2.03 m

Additional information: coffee machine

cutlery and crockery

washing machine

tumble dryer

Navigation equipment

Navigation equipment:
Furuno Satellite compass
Debeg 3818 MF/HF DSC Controller
Debeg 3120 SSB
Furuno GP-32 GPS
JRC JHS-32A VHF
2x daylight radar
rate-of-turn indicator
Automatic Identification System (AIS)
2x Sailor RT 2048 VHF

| Simrad EY depth / echosounder |
|--------------------------------------|
| giro compass |
| giro autopilot (follow-up steering) |
| GMDSS |
| JRC NCR-300A Navtex |
| watch alarm |
| horn |
| navigation lights |
| clinometer |
| compass |
| intercom |
| 3x search light |
| 2x clearviewscreen |
| 3x window wiper |
| barometer |
| clock |
| |

Rigging and sails

Mast: steel
Lowerable: no

Equipment

| Anchor equipment: | hydraulic anchor winch |
|-------------------------|---|
| | 2x Spek anchor |
| | in hawse-hole |
| | 2x anchor chain |
| | 2x warping drum |
| Safety: | fire extinguishers |
| | life buoys |
| | fire blanket |
| | life jackets |
| | fire alarm system |
| | flares |
| | EPIRB |
| | bilge alarm |
| | according to the certification requirements |
| Additional information: | deck lights |
| | steering chair |























































































































































