











Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



Party boat Jan Plezier 75 pax

Dimensions (m) 25.28 x 5.26 x 1.15 Ref. no. 200312

Mooring Near Antwerp, Belgium Year 1960

Material steel

Vision Doeve Brokers

Day passenger vessel that is very maneuverable with her overhauled Schottel rudder propeller and the Kalkman bow thruster. There are terraces at the front and rear, of which the terrace at the rear can be closed by a cockpit tent. Inside there is a bar, sufficient seating area and a toilet on board. The air draft is approx. 3,75 m which means that she also can be used on waterways where many tour boats cannot go to. The certification is valid until 10-2023.

General information

Yard: Büsching & Rosemeyer, D-Uffeln

Hull shape: round bilged

Hull material: steel
Deck material: steel
Superstructure material: steel

hardwooden top side of the wheelhouse

Construction method: welded

rubbing strake open cockpit

self-draining cockpit

bulwark

4 watertight bulkhead(s)

Steering system: mechanical

wheel

Schottel rudder propeller

Windows: aluminium windows frames

Displacement (approx.): maximum allowable displacement 128,623 m3

displacement in empty condition 82,723 m3

displacement 45,900 m3

Airdraft (approx.): 3,75 m

Owner: Belgian owner
Registration: Belgian registered

Colour / Paint System: green hull

white superstructure

last underwatership treatment 10-2018

Certificates: Union Inland Navigation Certificate (ES-TRIN)

zone 3 zone 4

valid until: 10-2023

75 Passengers

Suitable for / as: inland shipping

passengers vessel

General information: Hand over in consultation.

good sailing characteristics

Additional information: The techniques used on board are commercial shipping quality.

75 day guests

Great vessel for cruising on the European canals and rivers.

Technical information

Enginepower: 224 Hp

165 kW

Engine brand: DAF

Revolutions: 1900 RPM
Engine model: DKT 1160M

Number of cylinders: 6

Fuel: diesel

Fuel tank (approx.): 2500 litre Cooling system: closed

box cooler

Propulsion: Schottel SRP 100 rudder propeller (2018 revisie / overhaul / Überholung / refonte)

4 blade propeller

Gearbox: ZF hydraulic

Bow thruster: Kalkman electric bow thruster

400 Volt

Electricity system: 12 / 24 / 230 / 400 Volt

400 Volt shore power connection

Genny: Yanmar diesel

45 kVA 230/400 Volt

Hatz diesel

45 kVA 230/400 Volt

Hatz diesel

1 kVA 230 Volt

Fresh water tank (approx.): 5000 litre

stainless steel tank(s)

Water pressure system: hydrophore pump

Hot water system: boiler/water calorifier (230 Volt)

Holding tank (approx.): 2000 litre

not yet in use

Bilge pump: present

Deck wash pump: present

Gas system: no gas on board

Accommodation

Interior: simple interior

see photographs

Lay-out plan (not to scale): see attachment

Toilet / Heads: flush toilet

washbasin

cold running water

Oven: combi steamer oven

Fridge / Refrigerator: fridge / refrigerator

& cold room

Washbasin: 2x stainless steel sink
Water tap: hot & cold running water

Dishwasher: present
Entertainment: stereoset
Headroom (approx.): 1,90 m

Additional information: 2x coffee machine

inventory

beer tap

Navigation equipment

Navigation equipment:	2x VHF
	rate-of-turn indicator
	tachograph
	navigation lights
	Nasa depth / echosounder
	daylight radar
	compass
	2x window wiper

Equipment

Anchor equipment:	electric anchor winch
	Pool anchor
	40 m anchor cable
	in hawse-hole
	specified length(s) is/are approximate
Bimini:	bimini top above cockpit
Cockpit tent:	present
Boarding ladder:	aluminium
Safety:	fire extinguishers
	life buoys
	fire alarm system
	according to the certification requirements
Additional information:	aluminium gangway
	Survey report of the underwatership is available (10-2018)











































































