



Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Website

Doeve Brokers

 Phone
 +31 (0)10 248 98 30

 Mobile
 +31 (0)653 20 20 84

 E-mail
 info@doevemakelaar.nl

www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01

Gaff Topsail Cutter 64'

Dimensions (m)	26.00/19.60 x 4.96 x 2.35	Ref. no.	201201
Mooring	Near Harlingen, Netherlands	Year	1939
		Material	wood

Vision Doeve Brokers

Naval architect Olivier van Meer has made the drawings for the conversion of a Danish Hajkotter into a seagoing commercial yacht, making it a beautiful classic sailing yacht with very good sailing characteristics. A real lady who is an asset to any historic port. The vendor always maintained her very well and that shows. Shipyard H. Bültjer Bootswerft in D-Ditzum did do a lot of that work. In 2019, for example, the entire freeboard (up to 1 plank below the waterline) and the bulwark including stanchions were renewed. It is a commercial yacht that is under class (Register Holland Zeevaart) and this means that inspections take place every year. The spars are maintained by Piet Blaauw in NL-Stavoren. Despite her dimensions, it is an easy to maneuver yacht, due to her hydraulic bow- and stern thruster. In our eyes a very well (top) maintained seagoing sailing yacht that is cherished by the owner and for which we are looking for an enthusiast who will close the Esther Jensen in his or her heart too.

General information

General information	
Yard:	Shipyard DK-Esbjerg
Rebuilt year:	1990/1993
Designer / Architect:	Olivier van Meer, naval architect
Hull shape:	round bilged
Hull material:	oak
	frames made of:
	oak
Deck material:	iroko (2007)
Superstructure material:	hardwooden superstructure
Construction method:	carvel
	oak rubbing strake (2019)
	deckhouse
	wide side decks (gunnels)
	1 watertight bulkhead(s)
	2 watertight bulkhead(s) with watertight door(s)
	Sturdy, heavily constructed
Keel:	bar keel / keel
Steering system:	hydraulic
Steering System.	outside steering position
	wheel
	on steering pedestal
Windows:	bronze portholes
	bronze window frames
	window blinds
Displacement (approx.):	85 ton
	39 GT
	11 NT
Ballast (approx.):	lead
	blocks
	free of the bottom
Airdraft (approx.):	21,00 m
Owner:	Dutch owner
Registration:	Dutch registered
riogiotrationi	B-registered
	Costs for the change of ownership and / eventually deletion are for purchasers amount.
Colour / Paint System:	green hull
Colour / Faint Cystem.	& varnished wood
	very well maintained
	see photographs
Certificates:	Blue Rules Register Holland
Certineates.	Register Holland Commercial Sailing Vessel Z 1, 2, 3, 4 + No ice class
	incl. the necessary underlying certificates
	valid until: 07-2021
	GMDSS Sea area A1 (Dutch Shipping Inspectorate)
	sailing area 17(IIIA) (Dutch Shipping Inspectorate)
Suitable for / as:	12 pax passengers including crew useful as charter
Suitable IUI / dS.	userul as charler

Our offer is not binding. Provided information is deemed to be correct but is not guaranteed. The Hiswa General Conditions For Mediation Vessels of the Hiswa Association are apply. Registered at the clerk of the districts court's office in Amsterdam.

	suitable as a year round live- aboard
	recreational vessel
	seaworthy
Additional information:	10 hotel guests
	The techniques used on board are commercial shipping quality.
	classic sailing yacht
	forepeak with chain locker

Technical information

Enginepower:	164 Hp
5	121 kW
Engine brand:	DAF
Revolutions:	2100 RPM
Engine model:	DK 1160
Number of cylinders:	6
Overhaul engine:	2007
Fuel:	diesel
Fuel tank (approx.):	1350 litre
	1 steel tank(s)
	sludge trap(s)
	glass gauge to tank(s)
Cooling system:	intercooling
	wet exhaust
Propulsion:	4 blade propeller
	greased lubrication of propeller shaft
Gearbox:	PRM hydraulic (2018)
	hydraulic PTO
Speed (approx.):	7 knots cruising speed at 1100 RPM
Heating:	Webasto DW 230 central heating
	on diesel
	23 kW
	& stove on wood
Engine instruments:	present
Bow thruster:	Hydrosta hydraulic bow thruster (2018)
	35 Hp
	proportional
Stern thruster:	Hydrosta hydraulic stern thruster (2018)
	15 Hp
	proportional
Electricity system:	24 / 230 / 400 Volt
	230 Volt shore power connection
	2010 largely replaced
Batteries:	2x 140 Ah starter batterie(s)
	4x 270 Ah domestic batterie(s)
	1x 95 Ah starter batterie(s) generator
	2x 100 Ah emergency batterie(s)
Battery charger:	Mastervolt battery charger 230-12 Volt
	Mastervolt battery charger 230-24 Volt
	Mastervolt Mass battery charger 24/100-C

Battery isolator:	battery isolator
Earth-leakage breaker:	present
Genny:	BW Generatortechniek whisper set
	10 kW 230/400 Volt
	1500 RPM
	Mitsubishi diesel
Inverter:	Mastervolt Mass Sine inverter 24/2500
Fresh water tank (approx.):	2500 litre
	2 steel tank(s)
Water pressure system:	hydrophore pump
Hot water system:	boiler/water calorifier
	through the central heating
Holding tank (approx.):	350 litre
	2 steel tank(s)
Diesel waterseparator:	present
Engineroom:	sound insulated engineroom
Bilge pump:	1x electric pump
	with manifold
	4x electric pump
	1x manual pump
Deck wash pump:	electric pump
Gas system:	yes, bottle(s) in bottle box on deck
	Gas certificate
Additional information:	electric engine control system

Accommodation

Interior:	oak
	hardwooden floor(s)
	pine
	painted white
	very well maintained
Insulation:	no
	not needed
Cabins:	5 cabins
Berth:	Guest cabin(s): 4x
	each with:
	bunk bed:
	8x 1-pers sleeping places
	owners cabin:
	1x 2-pers sleeping places
Lay-out plan (not to scale):	see attachment
Bathroom:	guest cabins with wash basin
	cold running water
	Forward:
	shower
	hot & cold running water
	washbasin with mixer tap and hot & cold running water
	in 1 area together with the toilet
	Aft:

	shower
	thermostat tap
	washbasin
	in 1 area together with the toilet
Toilet / Heads:	2x electric toilet
Galley:	along ships
Cooker:	4-burner hob
	on gas
	stainless steel
	in combination with the oven
	half gimbal
Oven:	gas oven
Fridge / Refrigerator:	fridge / refrigerator
Worktop:	oak wooden worktop
Washbasin:	2x stainless steel sink
Water tap:	hot & cold running water
Headroom (approx.):	bathroom / toilet in the front (approx.) 2,03 m
	guest cabin (approx.) 1,99 / 1,97 m
	corridor / walkthrough (approx.) 2,01 m
	salon (approx.) 2,13 / 2,05 m
	deckhouse (approx.) 2,15 m
	aftcabin (approx.) 1,91 m
	bathroom / toilet aft (approx.) 1,90 m
Additional information:	The vessel will be delivered as without the private goods like furniture, clothing, artwork
	and tools.
	useful as charter
	useful as live-aboard
	cutlery and crockery
	see photographs

Navigation equipment

U	
Navigation equipment:	ICOM IC-M505 VHF with DSC
	Furuno GP-80 GPS
	Simrad AP26 autopilot
	Em-Trak A200 Automatic Identification System (AIS)
	Furuno FM-8500 VHF with DSC
	compass
	Debag 2900 Navtex
	Eagle fishfinder
	Sailor R108 transceiver
	Ocean Signal V100 GMDSS handheld VHF
	Ocean Signal S100 Search and Rescue Transponder (SART)
	Raymarine E80 chartplotter / GPS / radar
	Raymarine ST60+ windset
	Raymarine ST60+ Tridata depth / echosounder
	Raymarine ST60+ Tridata log / speed
	navigation lights
	horn
	barometer

Rigging and sails

00 0	
Rigging type:	gaff ketch rigged
Mast:	2x douglas
Lowerable:	no
Boom:	1x douglas
	1x Oregon Pine
Gaff:	2x aluminium
Jib boom / Bowsprit:	red cedar bowsprit
Winches:	2x halyard winch (400 Volt)
	sheet winch
	2x sheet winch selftailing
Material of the sails:	Dacron
Sails:	mainsail
	yankee
	boom jib
	2x topsail
	mizzen
Roller Reefing system:	ProFurl furling yankee reefing system
	ProFurl furling-jib reefing system
Additional information:	bobstay
	8x pin rail
	Lazy Jacks
	sail covers
	Sali covers

Equipment

Anchor equipment:	electric anchor winch
	warping drum
	150 kg plough anchor
	bow roller
	13 mm, 150 m anchor chain
Searail / Pulpit:	searail on bulwark
Davits:	present
Safety:	life buoys
	inflatable life jackets
	fire alarm system
	fire blanket
	fire extinguishers
	bilge alarm
	joon
	2x 12-pax liferaft with certificate (2018)
	flares
	according to the certification requirements
	lifeline(s) with harness
	safety net(s)
Additional information:	3x hard wooden skylight

covers over skylights aluminium gangway hardwooden gangway deck lights















































































































