



Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone	+31 (0)10 248 98 30
Mobile	+31 (0)653 20 20 84
E-mail	info@doevemakelaar.nl
Website	www.doevemakelaar.nl

www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



Vollenhovense Bol 9.50

Dimensions (m)	9.50 x 3.30 x 0.60	Ref. no.	221002
Mooring	Near Leiden, Netherlands	Year	1975
		Material	steel

Vision Doeve Brokers

Former sailing yacht that was converted into a motor yacht at the time. In 2012 she was modernized and fitted with a new engine. In the front there is a spacious 2-persons bed of approximately 2.30 x 1.48 meters. The layout has been kept tight with a surprising amount of storage space, but the ship's character has been preserved. The hydraulic steering system and bow thruster make it an easy to manoeuvre vessel and with her depth of approximately 60 cm and an air draft of approximately 2.20 m, has she a very large sailing area. She is a well-maintained vessel that will give you a lot of pleasure.

General information

Yard:	Yard Kooijman & de Vries, NL-Deil
Rebuilt year:	interior 2012
Hull shape:	round bilged
Hull material:	steel
Deck material:	steel
Superstructure material:	steel
Construction method:	forecabin
	bulwark
	open cockpit
	teak capping
	saddleback roof
	bollards
Steering system:	hydraulic
	wheel
	attached rudder
	hardwooden rudder
Windows:	bronze portholes
Displacement (approx.):	6 metric tons
Airdraft (approx.):	2,20 m everything down
Owner:	Dutch owner
Colour / Paint System:	blue hull
	white bulwark
	white superstructure
	06-2022 last underwatership treatment
	very well maintained
Suitable for / as:	inland waterways
	recreational vessel
Additional information:	Given construction year is an estimate.
	motor yacht
	beautiful sheer
	Hull shape is suitable for drying out.
	Great vessel for cruising on the European canals and rivers.
	Great vessel for cruising on the French canals and rivers.

Technical information

Enginepower:	42 Hp
	30 kW
Engine brand:	Mitsubishi
Revolutions:	3000 RPM
Engine model:	S4L2
Number of cylinders:	4
Construction year engine:	2012 installed
Running hours (approx.):	800 on the hour counter
Fuel:	diesel
Fuel tank (approx.):	1x 100 litre

Cooling system: intercooling wet exhaust Propulsion: 3 blade propeller water lubricated propeller shaft Gearbox: Hurth ZF 10 M mechanical reduction/ratio 2,05:1 reduction/ratio 2,05:1 Heating: Webasto hot air heating on diesel on diesel Bow thruster: Vetu selectric bow thruster 12 / Volt 60 KGF Electricity system: 12 / 230 Volt 230 Volt shore power connection 230 Volt shore power connection Batteries: 1x 75 Ah starter batterie(s) 1x starter batterie(s) 1x starter batterie(s)		steel tank(s)
wet exhaust Propulsion: 3 blade propeller water lubricated propeller shaft Gearbox: Hurth ZF 10 M mechanical reduction/ratio 2,05:1 Heating: Webasto hot air heating on diesel Bow thruster: Vetus electric bow thruster 12 Volt 60 KGF Electricity system: 12 / 230 Volt 230 Volt shore power connection Batteries: 1 x 75 Ah starter batterie(s) 1 x 230 Ah domestic batterie(s) 1 x 520 Ah domestic batterie(s) 1 starter batterie(s) bow thruster battery monitor Battery charger: Victron Multiplus combi inverter/charger 12/1600/70 Battery isolator: present Inverter: Victron Multiplus combi inverter/charger 12/1600/70 Fresh water tank (approx.): 1 x 150 litre stainless steel tank(s) stainless steel tank(s) Water pressure system: electric water pump Disels waterseparator: present electric pump el	Cooling system:	
Propulsion: 3 blade propeller water lubricated propeller shaft Gearbox: Hurth ZF 10 M mechanical reduction/ratio 2,05:1 Heating: reduction/ratio 2,05:1 Heating: or diesel Bow thruster: Vetus electric bow thruster 12 Volt 60 KGF Electricity system: 12 / 230 Volt 230 Volt shore power connection 230 Volt shore power connection Batteries: 1x 75 Ah starter batterie(s) 1x starter batterie(s) 1x starter batterie(s) 1x starter batterie(s) 1x starter batterie(s) 1x starter batterie(s) 1x starter batterie(s) 1x starter batterie(s) bow thruster battery monitor Battery charger: Victron Multiplus combi inverter/charger 12/1600/70 Fresh water tank (approx): 1x 150 litre Stainless steel tank(s) Stainless steel tank(s) Water pressure system: electric water pump Diesel waterseparator: present Bilge pump: present electric pump electric pump Gas system: present Bilge pump: present		
Image: system:water lubricated propeller shaftGearbox:Hurth ZF 10 M mechanical reduction/ratio 2,05:1Heating:reduction/ratio 2,05:1Heating:Webasto hot air heating on dieselBow thruster:Vetus electric bow thruster12 Volt 60 KGF60 KGFElectricity system:12 / 230 Volt230 Volt shore power connectionBatteries:1x 75 Ah starter batterie(s)1x starter batterie(s)1x starter batterie(s)1x starter batterie(s)Battery roinforBattery isolator:presentVictron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx):1x 150 lire stainless steel tank(s)Water spearator:presentBilge pump:electric water pumplinge pump:presentBilge pump:presentWater presentBilge pump:presentweterkie, s) in bottle box ventilatedventilated	Propulsion:	
Gearbox: Hurth ZF 10 M mechanical reduction/ratio 2,05:1 Heating: Webasto hot air heating on diesel Bow thruster: Vetus electric bow thruster 12 Volt 60 KGF Electricity system: 12 / 230 Volt 230 Volt shore power connection Batteries: 1x 75 Ah starter batterie(s) 1 x starter batterie(s) 1 x starter batterie(s) attery monitor Battery charger: Victron Multiplus combi inverter/charger 12/1600/70 Battery isolator: present Inverter: Victron Multiplus combi inverter/charger 12/1600/70 Battery tank (approx): 1x 150 litre Stainless steel tank(s) stainless steel tank(s) Water pressure system: electric water pump Diesel waterseparator: present Bilge pump: present 12 Volt starter patterice Gas system: present isolation: present Website: present Website: present Website: present Gas system: present<		
Heating:reduction/ratio 2,05:1Heating:Webasto hot air heating on dieselBow thruster:Vetus electric bow thruster12 Volt12 VoltElectricity system:12 / 230 Volt230 Volt shore power connection230 Volt shore power connectionBatteries:1 x 75 Ah starter batterie(s)1 x 230 Ah domestic batterie(s)1 x starter batterie(s)1 x starter batterie(s) bow thruster battery monitorbattery monitorBattery charger:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1 x 150 litreFresh water tank (approx.):1 x 150 litreBilge pump:presentBilge pump:present12 Volt12 VoltGas system:presentyes, bottle(s) in bottle box ventilated12 Volt	Gearbox:	
Heating:Webasto hot air heatingon dieselBow thruster:Vetus electric bow thruster12 Volt60 KGFElectricity system:12 /230 Volt230 Volt shore power connectionBatteries:1x 75 Ah starter batterie(s)1x 230 Ah domestic batterie(s)1x starter batterie(s)1x starter batterie(s)battery monitorBattery charger:Victron Multiplus combi inverter/charger 12/1600/70Batter pisolator:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litreBilge pump:presentBilge pump:present2 VoltGas system:presentyes, bottle(s) in bottle box ventilated		
on dieselBow thruster:Vetus electric bow thruster12 Volt60 KGFElectricity system:12 / 230 Volt230 Volt shore power connectionBatteries:1 x 75 Ah starter batterie(s)1 x 230 Ah domestic batterie(s)1 x 230 Ah domestic batterie(s)1 x starter batterie(s) bow thrusterbattery monitorBattery charger:Victron Multiplus combi inverter/charger 12/1600/70Batter presentpresentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx):1 x 150 litrestainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:present12 VoltGas system:presentyes, bottle(s) in bottle boxventilated	Heating:	
12 Volt60 KGFElectricity system:12 / 230 Volt230 Volt shore power connectionBatteries:1x 75 Ah starter batterie(s)1x 230 Ah domestic batterie(s)1x starter batterie(s)1x starter batterie(s) bow thrusterbattery monitorBattery charger:Victron Multiplus combi inverter/charger 12/1600/70Battery isolator:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litrestainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:present12 VoltGas system:presentyes, bottle(s) in bottle boxventilated		-
60 KGFElectricity system:12 / 230 Volt230 Volt shore power connectionBatteries:1x 75 Ah starter batterie(s)1x 230 Ah domestic batterie(s)1x starter batterie(s) bow thrusterbattery monitorBattery charger:Victron Multiplus combi inverter/charger 12/1600/70Battery isolator:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litreStainless steel tank(s)stainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentIz Volt12 VoltGas system:presentyes, bottle(s) in bottle box ventilatedyes, bottle(s) in bottle box ventilated	Bow thruster:	Vetus electric bow thruster
Electricity system:12 / 230 Volt230 Volt shore power connectionBatteries:1x 75 Ah starter batterie(s)1x 230 Ah domestic batterie(s)1x 230 Ah domestic batterie(s)1x starter batterie(s) bow thrusterbattery monitorBattery charger:Victron Multiplus combi inverter/charger 12/1600/70Battery isolator:presentEarth-leakage breaker:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litreStainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentelectric pumpelectric pump12 Volt12 VoltGas system:presentyes, bottle(s) in bottle boxventilated		12 Volt
230 Volt shore power connectionBatteries:1x 75 Ah starter batterie(s)1x 230 Ah domestic batterie(s)1x 230 Ah domestic batterie(s)1x starter batterie(s) bow thrusterbattery monitorBattery charger:Victron Multiplus combi inverter/charger 12/1600/70Battery isolator:presentEarth-leakage breaker:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litrestainless steel tank(s)stainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pump12 VoltGas system:presentyes, bottle(s) in bottle box ventilatedyes, bottle(s) in bottle box ventilated		60 KGF
Batteries:1x 75 Ah starter batterie(s)1x 230 Ah domestic batterie(s)1x starter batterie(s) bow thrusterbattery monitorBattery charger:Victron Multiplus combi inverter/charger 12/1600/70Battery isolator:presentEarth-leakage breaker:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litreStainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pump12 VoltGas system:presentyes, bottle(s) in bottle box ventilated	Electricity system:	12 / 230 Volt
1x 230 Ah domestic batterie(s)1x starter batterie(s) bow thrusterbattery monitorBattery charger:Victron Multiplus combi inverter/charger 12/1600/70Battery isolator:presentEarth-leakage breaker:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litrestainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pump12 VoltGas system:presentyes, bottle(s) in bottle box ventilated		230 Volt shore power connection
1x starter batterie(s) bow thrusterbattery monitorBattery charger:Victron Multiplus combi inverter/charger 12/1600/70Battery isolator:presentEarth-leakage breaker:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litrestainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pump12 VoltGas system:presentyes, bottle(s) in bottle box ventilated	Batteries:	1x 75 Ah starter batterie(s)
Indext and the second		1x 230 Ah domestic batterie(s)
Battery charger:Victron Multiplus combi inverter/charger 12/1600/70Battery isolator:presentEarth-leakage breaker:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litrestainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pump12 VoltGas system:presentyes, bottle(s) in bottle box ventilated		1x starter batterie(s) bow thruster
Battery isolator:presentEarth-leakage breaker:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litrestainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pump12 VoltGas system:presentyes, bottle(s) in bottle boxventilated		battery monitor
Earth-leakage breaker:presentInverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litrestainless steel tank(s)stainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pumpelectric pump12 Volt12 VoltGas system:presentyes, bottle(s) in bottle box ventilatedyes, bottle(s) in bottle box ventilated	Battery charger:	Victron Multiplus combi inverter/charger 12/1600/70
Inverter:Victron Multiplus combi inverter/charger 12/1600/70Fresh water tank (approx.):1x 150 litrestainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pump12 VoltGas system:presentyes, bottle(s) in bottle box ventilated	Battery isolator:	present
Fresh water tank (approx.):1x 150 litre stainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pumpelectric pump12 Volt12 VoltGas system:presentyes, bottle(s) in bottle box ventilatedventilated	Earth-leakage breaker:	present
stainless steel tank(s)Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pumpelectric pump12 VoltpresentGas system:presentyes, bottle(s) in bottle boxyentilated	Inverter:	Victron Multiplus combi inverter/charger 12/1600/70
Water pressure system:electric water pumpDiesel waterseparator:presentBilge pump:presentelectric pumpelectric pump12 Volt12 VoltGas system:presentyes, bottle(s) in bottle boxventilated	Fresh water tank (approx.):	1x 150 litre
Diesel waterseparator: present Bilge pump: present electric pump 12 Volt Gas system: present yes, bottle(s) in bottle box ventilated		stainless steel tank(s)
Bilge pump: present electric pump 12 Volt Gas system: present yes, bottle(s) in bottle box ventilated	Water pressure system:	electric water pump
electric pump 12 Volt Gas system: present yes, bottle(s) in bottle box ventilated	Diesel waterseparator:	present
12 Volt Gas system: present yes, bottle(s) in bottle box ventilated	Bilge pump:	present
Gas system: present yes, bottle(s) in bottle box ventilated		electric pump
yes, bottle(s) in bottle box ventilated		12 Volt
ventilated	Gas system:	present
Additional information: LED lightning		ventilated
	Additional information:	LED lightning

Accommodation

Interior:	teak interior
	Plywood
Insulation:	Rockwool with aluminium foil
Cabins:	1 cabin
Berth:	Forward: 1x 2-pers
	Salon: 1x 1-pers
Lay-out plan (not to scale):	see attachment
Toilet / Heads:	hand pumptoilet
Galley:	along ships
Cooker:	2-burner hob
	on gas
	stainless steel
Fridge / Refrigerator:	Waeco 12/230 Volt
Freezer:	ice compartment

Our offer is not binding. Provided information is deemed to be correct but is not guaranteed. The Hiswa General Conditions For Mediation Vessels of the Hiswa Association are apply. Registered at the clerk of the districts court's office in Amsterdam.

Worktop:	plastic worktop
Washbasin:	stainless steel sink
Water tap:	cold running water
Entertainment:	flatscreen TV
	radio/CD player
Headroom (approx.):	galley (approx.) 1,84 m
	toilet (approx.) 1,80 m
	salon (approx.) 1,85 m
Additional information:	very well maintained
	see photographs

Navigation equipment

GPS snelheid / speed / Vitesse navigation lights compass	Navigation equipment:	Raymarine ST40 depth / echosounder
		GPS snelheid / speed / Vitesse
compass		navigation lights
		compass
clinometer		clinometer

Rigging and sails

Mast:	lantern mast
	hard wood
Lowerable:	yes
	manual

Equipment

Anchor equipment:	2x anchor with rope
Awnings:	winter cover(s)
Cockpit tent:	cockpit tent
Searail / Pulpit:	guardrail around foredeck
	guardrail around side-walks
	with teak on top of guardrail
	grab rail
Safety:	2x fire extinguishers
	fire blanket
	life buoy
Additional information:	teak wooden skylight
	cover over skylight





























































