











Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



Push Tug Workvessel 16.85, Rhine attest

Dimensions (m) 16.85 x 4.00 x 1.00 Ref. no. 230808

Mooring Near Dordrecht, Netherlands Year 1965

Material steel

Vision Doeve Brokers

Former inspection vessel of the German waterway authority which is now in use as a tugboat annex push boat which also can be used for inspection and survey work, but also as a crew tender or as a port authorities vessel, she is excellently suited for. The state of maintenance is very good. With the extensive and professional equipment and the CCRII certified engine with only approx. 1100 running hours, this boat can be used immediately. In our view, an excellent opportunity to acquire a boat of this caliber and in this condition.

General information

General information	
Yard:	Shipyard Bayerische Schiffbaugesellschaft, D-Erlenbach am Main
Hull material:	steel
Deck material:	steel
Superstructure material:	steel
Construction method:	welded
	rubbing strake around
	open cockpit
	transom stern
	forecastle
	4 watertight bulkhead(s)
	stainless steel bollards
	push bow
	wide side decks (gunnels)
Steering system:	hydraulic (Hydromarine)
3 3, 11	electric steering
	inside and outside steering position
	outside with remote control
	emergency steering
	Becker rudder
Windows:	aluminium windows frames
	double glazing &
	2x single glass
	hardwood outside doors
Displacement (approx.):	maximum allowable displacement 36,295 m ³
Biopiacomoni (approx.).	displacement in empty condition 26,295 m ³
	displacement 10,000 m ³
Airdraft (approx.):	3,50 m everything down
Owner:	Dutch owner
Registration:	Dutch registered
. region anom	B-registered
	Costs for the change of ownership and / eventually deletion are for purchasers amount.
Certificates:	Rhine certificated (ROSR)
	open sea to Basel
	valid until: 07-2024
	Is equal to:
	zone 2 Netherlands
	zone 3
	zone 4
Suitable for / as:	inland shipping
Cultable for / as.	pushboat
	tug
	survey vessel
	patrol vessel
Additional information:	The relevant VAT will be due on the asking price if the vessel is purchased by a consumer
Additional iniormation.	or by a Dutch company (provided it concerns a Dutch seller). Sale at 0% VAT to a is
	eventually possible if the buyer meets the applicable VAT guidelines.
	tug bitts

towing hook

forepeak with chain locker

Many rust sensitive places are made from stainless steel.

Technical information

Number of cylinders:

Enginepower: 203 Hp

150 kW

Engine brand: John Deere Revolutions: 2600 RPM

Engine model: 6068TFM75

Construction year engine: 2011 into operation

Running hours (approx.): 1100 on the hour counter

6

Fuel: diesel

Fuel tank (approx.): 2x 750 litre

steel tank(s)

Cooling system: closed

box cooler

dry exhaust

insulated exhaust

Propulsion: 3 blade propeller

oil bath propeller stern tube

Gearbox: Dong-I DMT 70T-D hydraulic (2011)

reduction/ratio 3,46:1

Speed (approx.): 18 kilometer/hour

Heating: Kabola HR400 central heating

combi boiler

on diesel

Engine instruments: ComAp InteliDrive DCU alarm system

Bow thruster: Kalkman electric bow thruster

24 Hp

24 Volt

proportional

Electricity system: 24 / 230 / 400 Volt

230 Volt shore power connection

400 Volt shore power connection

largely replaced

Batteries: 2x 120 Ah starter batterie(s)

1x 60 Ah starter batterie(s) generator

4x 230 Ah domestic batterie(s)

Battery charger: Victron MultiPlus combi inverter/charger 24/3000/70

Victron battery charger

Victron Skylla-TG battery charger 24/50

Isolation transformer: Mastervolt Mass GI3.5 isolation transformer

Genny: Hatz diesel genny

20 kVA 230/400 Volt

1500 RPM

21800 running hours (approx.)

Alternator: 2x alternator

Inverter: Victron MultiPlus combi inverter/charger 24/3000/70

Mastervolt Mass Sine inverter 24/500

AlfaTronic PV5s inverter 24-12 Volt

Fresh water tank (approx.): 110 litre

1 plastic tank(s)

Water pressure system: hydrophore pump

Hot water system: through the central heating

Holding tank (approx.): not present, enough space to build-in

Engineroom: sound insulated engineroom

ventilated

very well maintained

see photographs

Bilge pump: present

230 Volt

Gas system: no gas on board

Additional information: electric engine control system

main engine with PTO for the hydraulic

air compressor LED lightning

Accommodation

Interior: Formica with print interior

see photographs

Insulation: partly

Toilet / Heads: electric toilet
Galley: along ships
Cooker: 2-burner hob

electric cooker

Fridge / Refrigerator: Liebherr fridge / refrigerator

Worktop: formica worktop
Washbasin: stainless steel sink

Water tap: mixer tap with hot & cold running water

Entertainment: Pioneer radio/CD/MP3 player Headroom (approx.): foc's hole (approx.) 2,03 m

wheelhouse (approx.) 1,96 m

Navigation equipment

Navigation equipment:	L3 Automatic Identification System (AIS)
	Radio Holland Euro 500 rudder indicator
	Radio Holland Euro 500 rate-of-turn indicator
	Radio Holland Euro 500 / 600 river autopilot (follow-up steering)
	Alphatron JRC JMA610 daylight radar
	2x Sailor RT2048BV VHF
	Garmin GPSmap 421s chartplotter / GPS
	laptop & PC Navigo chartplotter
	fishfinder
	search light

blue board with oscillating light
horn
navigation lights
window wiper
flashing light

Rigging and sails

Mast: radarmast
apparatus wing
lantern mast
aluminium

Lowerable: yes
manual

Equipment

Anchor equipment: hydraulic anchor winch 2x warping drum Klipp anchor in hawse-hole Boarding ladder: present stainless steel Safety: life buoys life jackets fire extinguishers according to the certification requirements Additional information: 2x steering chair deck lights























































































