

Doeve Brokers/Valuurs vof  
 Sworn & EMCI Certificated Brokers  
 & Valuurs S&P Yachts & Ships

Westhavenkade 87c  
 NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30  
 Mobile +31 (0)653 20 20 84

E-mail [info@doevemakelaar.nl](mailto:info@doevemakelaar.nl)  
 Website [www.doevemakelaar.nl](http://www.doevemakelaar.nl)  
[www.doeve.be](http://www.doeve.be)  
[www.doeve.fr](http://www.doeve.fr)

IBAN NL82 INGB 0664 0466 73  
 CoC Rotterdam 24266857  
 VAT NL8214.04.520.B01



## Day passenger ship 200 pax, Rhine certificate

Dimensions (m)	26.59 x 5.68 x 0.80	Ref. no.	231004
Mooring	Near Bruges, Belgium	Year	1997
		Material	steel

### Vision Doeve Brokers

Day passenger ship/tour boat with a modern and sleek interior with bar. The interior is in a good state of maintenance and is fresh and clean. It is a very versatile vessel, inside she is furnished with 95 seats downstairs and 48 seats upstairs. On deck there are 40 seats that can be reached via the salon above or via the aft deck. This passenger ship is also suitable for disabled people with a lift from the aft deck to the salon. Equipped with an extensive BOSE sound system that is linked to the television screens and together with the air conditioning unit, the ship is not only suitable for boat tours or parties, but she is also very suitable for corporate events or presentations. The wheelhouse is in the lowest position, but it can still be raised by approximately 0.5 meters. Equipped with 2 engines and 2 genny's, she is also a very reliable ship.

## General information

<b>Yard:</b>	Shipyard J. de Jong, NL-Sneek
<b>Hull shape:</b>	V-bottom
<b>Hull material:</b>	steel
<b>Deck material:</b>	steel
<b>Superstructure material:</b>	steel
<b>Construction method:</b>	rubbing strake around transom stern closed bollard cabinets 2 watertight bulkhead(s)
<b>Keel:</b>	bilge keels
<b>Steering system:</b>	hydraulic Radio Zeeland electric steering & orbitrol emergency steering wheel
<b>Windows:</b>	aluminium windows frames double glazing hardwood outside doors
<b>Displacement (approx.):</b>	maximum allowable displacement 110,075 m <sup>3</sup> displacement in empty condition 88,999 m <sup>3</sup> displacement 21,076 m <sup>3</sup>
<b>Ballast (approx.):</b>	present concrete tiles
<b>Airdraft (approx.):</b>	everything down 5,10 m
<b>Owner:</b>	Belgian owner
<b>Registration:</b>	Belgian registered
<b>Colour / Paint System:</b>	white hull white superstructure last underwatership treatment 03-2023 see photographs
<b>Certificates:</b>	Rhine certificated (ROSR) open sea to Basel = zone R (Rhine) valid until: 03-2025 Is equal to: zone 3 zone 4
<b>Suitable for / as:</b>	inland waterways commercial shipping passengers vessel restaurant pancake restaurant
<b>General information:</b>	Hand over in consultation. Acquisition of the current operation can be discussed.
<b>Additional information:</b>	200 day guests spacious upperdeck Great vessel for cruising on the European canals and rivers.

The techniques used on board are commercial shipping quality.

## Technical information

Enginepower:	2x 125 Hp
	2x 92 kW
Engine brand:	2x DAF
Revolutions:	1800 RPM
Engine model:	2x 615
Number of cylinders:	6
Running hours (approx.):	portside 13900
	starboard 14200
	on the hour counter
Fuel:	diesel
Fuel tank (approx.):	1x 3000 litre
	steel tank(s)
Cooling system:	closed
	2x box cooler
Propulsion:	2x 4 blade propeller
	2x greased lubrication of propeller shaft
Gearbox:	2x PRM hydraulic
Speed (approx.):	5,5 knots cruising speed at 1150 RPM
	7 knots top speed
Heating:	via air conditioning unit
Air conditioning:	LG air conditioning
	reversed circle
Engine instruments:	present
Bow thruster:	hydraulic bow thruster
	proportional
Electricity system:	24 / 230 / 400 Volt
	400 Volt shore power connection
	230 Volt shore power connection
Batteries:	2x 145 Ah starter batterie(s)
	2x 145 Ah starter batterie(s)
	1x 60 Ah starter batterie(s) generator
	1x 60 Ah starter batterie(s) generator
	2x 145 Ah domestic batterie(s)
Battery charger:	Mastervolt battery charger
	Mastervolt Mass battery charger 24/25
Genny:	Brinkmann & Niemeijer whisper set
	60 kVA 230/400 Volt, 1500 RPM
	8500 running hours (approx.)
	& Perkins diesel genny
	25 kVA 230/400 Volt, 1500 RPM
	14500 running hours (approx.)
Fresh water tank (approx.):	1x 3000 litre
	steel tank(s)
Water pressure system:	electric water pump
Holding tank (approx.):	1x 3000 litre
	steel tank(s)

	suitable for pumping sewage to the shore
Diesel waterseparator:	2x diesel waterseparator
Engineroom:	ventilated
Bilge pump:	present
	also deckwash pump & submersible pump
Gas system:	no gas on board
Additional information:	1 main engine with PTO for the hydraulic 2x Vetus electric engine control system

## Accommodation

Interior:	see photographs retardant panelling
Insulation:	Rockwool
Lay-out plan (not to scale):	see attachment
Toilet / Heads:	lady's room: toilet
	washbasin cold running water
	men's room: toilet
	urinal washbasin cold running water suitable for disabled
Galley:	along ships
Microwave:	present
Fridge / Refrigerator:	4x fridge / refrigerator 1x beer fridge
Freezer:	1x freezer
Worktop:	formica worktop
Washbasin:	2x stainless steel sink
Water tap:	mixer tap with hot & cold running water
Entertainment:	professional Bose intercom/music system WIFI 4x flatscreen TV
Headroom (approx.):	salon (approx.) 2,08 m toilet (approx.) 2,08 m bar (approx.) 2,09 m above (approx.) 2,00 m wheelhouse (approx.) 1,97 m
Additional information:	POS system wheelchair lift coffee machine glassware

## Navigation equipment

Navigation equipment:	Radio Zeeland Sigma 500 rudder indicator
	Radio Zeeland Sigma 500 rate-of-turn indicator
	Radio Zeeland Sigma 500 / 650 river autopilot (follow-up steering )
	& follow up steering
	2x Sailor RT2048 VHF
	Autohelm electric compass
	Radio Zeeland Euro 700 intercom
	ACR Nauticast Automatic Identification System (AIS)
	search light
	Cobra MR HH325 portable VHF
	Radio Holland RHRS 2005RC daylight radar
	Garmin chartplotter / GPS
	blue board with oscillating light
	horn
	navigation lights
	camera system

## Rigging and sails

Mast:	apparatus wing
	aluminium
Lowerable:	yes
	electric

## Equipment

Anchor equipment:	electric anchor winch (400 Volt)
	2x Pool anchor
	2x 48 m anchor cable (2023)
	in hawse-hole
Searail / Pulpit:	2x spudleg / pole (electric) (werkend onbekend / functioning unknown / Operation unbekannt / opération inconnue)
	guardrail around upperdeck
Davits:	guardrail around aftdeck
	present
Safety:	fire alarm system
	fire extinguishers
	automatic fire extinguishing system in engine room
	life buoys
	life jackets
	according to the certification requirements
Additional information:	passenger alarm system
	Survey report of the underwatership is available (03-2020)
	2x aluminium gangway
	LED deck lights



















