oeve Brokers yachts & ships



Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

| Phone | +31 (0)10 248 98 30 |
|--------|---------------------|
| Mobile | +31 (0)653 20 20 84 |
| E moil | info@dooy.omol/oloo |

E-mail Website

info@doevemakelaar.nl www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NI 82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01

Luxe Motor 21.09 with certificate

VAT not applicable reduced in price 231005 Dimensions (m) 21.09 x 3.23 x 1.15 Ref. no. Mooring Near Leeuwarden, the Netherlands Year 1914 **Price information** reduced in price **Material** steel

Doeve Brokers

vachts & ships

Vision Doeve Brokers

Former inland cargo ship that has been converted into a recreational ship / cruising Live Aboard Dutch Barge with a spacious wheelhouse. The engine room is located in front of the wheelhouse. The engine room contains, among other things, the main engine, but also the powerful generator and an extensive Victron electrical installation. In front of the engine room is a spacious sun deck on which users are protected from the weather with a sun tent / bimini. The salon has a galley with bar, seating, 2x box beds and a bed. There is also a spud pole, hydraulic crane and an electric bow thruster on board. This Dutch Barge is well maintained and ES-TRIN certified until 03-2028.

€ 64.500,--

General information

| General information | |
|---------------------------------------|--|
| Yard: | Shipyard C.W. van Straaten en Van der Brink, NL-Den Haag |
| Hull shape: | flatbottom |
| Hull material: | steel |
| Deck material: | steel |
| Superstructure material: | steel |
| | hardwooden top side of the wheelhouse |
| | aluminium wheelhouse roof |
| Construction method: | riveted |
| | new steel is welded |
| | rubbing strake around |
| | wide side decks (gunnels) |
| | open cockpit |
| | 2 watertight bulkhead(s) |
| Steering system: | mechanical |
| | wheel |
| Windows: | aluminium windows frames |
| Displacement (approx.): | 40 metric tons |
| Ballast (approx.): | present |
| · · · · · · · · · · · · · · · · · · · | 300 kg |
| Airdraft (approx.): | 2,80 m everything down |
| Owner: | Dutch owner |
| Registration: | Dutch registered |
| | B-registered |
| | Costs for the change of ownership and / eventually deletion are for purchasers amount. |
| Colour / Paint System: | black hull |
| , | green bulwark |
| | white superstructure |
| | very well maintained |
| | last underwatership treatment 04-2025 |
| Certificates: | inland waterways certificated (TRIWV / ES-TRIN) |
| | zone 2 Netherlands |
| | zone 3 |
| | zone 4 |
| | Waal, Lek & NL Rhine |
| | valid until: 03-2028 |
| Suitable for / as: | inland waterways |
| | suitable for bigger waterways |
| | recreational vessel |
| Additional information: | classic lines |
| | Hull shape is suitable for drying out. |
| | forepeak with chain locker |
| | Great vessel for cruising on the European canals and rivers. |
| | Great vessel for cruising on the French canals and rivers. |
| | |
| | |

Technical information

| | 1 steel tank(s) |
|-------------------------------|---|
| | |
| Fresh water tank (approx.): | 1200 litre |
| | Victron Blue Solar MPPT charge controller |
| Solar panels: | 1 solar panel 360 Watt |
| | Victron MultiPlus combi inverter/charger 24/3000/70 |
| Inverter: | Victron Orion inverter 24-12 Volt |
| | 3450 running hours (approx.) |
| | 1500 RPM |
| | 17,2 kVA 230 Volt |
| Genny: | Lister Petter diesel genny |
| Isolation transformer: | Victron isolation transformer 2000 Watt |
| Battery isolator: | Victron Argofet battery isolator |
| | Victron MultiPlus combi inverter/charger 24/3000/70 |
| | Victron Blue Power battery charger 24/8 |
| | Victron Blue Power battery charger 24/12 |
| Battery charger: | Victron Blue Power battery charger 24/15 |
| | Victron BMV-702 battery monitor |
| | 3x Victron Battery Balancer |
| | 4x 200 Ah domestic batterie(s) |
| | 1x 74 Ah starter batterie(s) generator |
| | 2x 140 Ah starter batterie(s) |
| Batteries: | 2x 220 Ah bow thruster batterie(s) |
| | Victron Color Control |
| | 230 Volt shore power connection |
| Electricity system: | 24 / 230 Volt |
| | 24 Volt |
| | 20 Hp |
| Bow thruster: | Max Power electric bow thruster |
| Heating: | stove on diesel |
| | 19 km/hour top speed |
| Speed (approx.): | 12 km/hour cruising speed at 1100 RPM |
| | reduction/ratio 4:1 |
| Gearbox: | Reintjes BGA-180 hydraulic |
| | greased lubrication of propeller shaft |
| Propulsion: | 4 blade propeller |
| | cooling pipes |
| Cooling system: | closed |
| (*********/ * * | 2 steel tank(s) |
| Fuel tank (approx.): | 500 litre |
| Fuel: | diesel |
| | after overhaul |
| Running hours (approx.): | 8500 on the hour counter |
| Construction year engine: | 1976 |
| Number of cylinders: | 6 |
| Engine model: | DK1160 |
| Engine brand: Revolutions: | 2000 RPM |
| Engine brend: | DAF |
| Enginepower: | 170 Hp 125 kW |
| Frankassan | 170 - |

| Hot water system: | Daalderop Close-in boiler/water calorifier (230 Volt) |
|-------------------------|---|
| | 15 litre |
| Bilge pump: | electric pump |
| Gas system: | yes, bottle(s) in bottle box on deck |
| Additional information: | LED lightning |

Accommodation

| Interior: | various materials have been used |
|------------------------------|---|
| | see photographs |
| | very well maintained |
| Insulation: | available |
| Cabins: | 3 cabins |
| Berth: | Forward: 1x 2-pers |
| | Starboard cabin: 1x 2-pers |
| | Portside cabin: 1x 2-pers |
| | Salon: 1x 1-pers |
| Lay-out plan (not to scale): | see attachment |
| Toilet / Heads: | Forward: |
| | hand pumptoilet |
| | & |
| | Aft: |
| | day toilet |
| | flush toilet |
| | washbasin |
| | cold running water |
| Galley: | U-shape galley |
| Cooker: | 4-burner hob |
| | stainless steel |
| | on gas |
| Fridge / Refrigerator: | Exquist fridge / refrigerator |
| | 230 Volt |
| Freezer: | small ice compartment |
| Worktop: | stainless steel worktop |
| | & formica worktop |
| Washbasin: | stainless steel sink |
| Water tap: | mixer tap with hot & cold running water |
| Entertainment: | flatscreen TV |
| Headroom (approx.): | forward (approx.) 1,92 m |
| | corridor / walkthrough (approx.) 1,16 m |
| | toilet in the front (approx.) 1,84 m |
| | salon (approx.) 1,88 / 1,84 m |
| | galley (approx.) 1,88 m |
| | wheelhouse (approx.) 1,94 m |
| | toilet aft (approx.) 1,73 m |
| | |

Navigation equipment

Navigation equipment:

Simrad EQ32 chartplotter / GPS

Our offer is not binding. Provided information is deemed to be correct but is not guaranteed. The Hiswa General Conditions For Mediation Vessels of the Hiswa Association are apply. Registered at the clerk of the districts court's office in Amsterdam.

2x Navman 7100 VHF with DSC
Em-Trak A200 Automatic Identification System (AIS)
compass
window wiper
search light
horn
navigation lights
rudder indicator

Rigging and sails

| Mast: | steel |
|------------|------------------|
| | & apparatus wing |
| | aluminium |
| Lowerable: | yes |
| | hydraulic |

Equipment

| A CONTRACT OF | |
|---|--|
| Anchor equipment: | anchor with chain |
| | spudleg / pole (electric) |
| | 3,50 m under the bottom |
| | specified length(s) is/are approximate |
| Bimini: | bimini top above cockpit |
| Safety: | fire blanket |
| | fire extinguishers |
| | life buoys |
| | life jackets |
| | according to the certification requirements |
| | carbon monoxide detector(s) |
| Additional information: | hydraulic steel crane |
| | Survey report of the underwatership is available (03-2021) |

















































































































