oeve Brokers yachts & ships



Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone	+31 (0)10 248 98 30
Mobile	+31 (0)653 20 20 84
E moil	info@dooy.omol/oloo

E-mail Website

info@doevemakelaar.nl www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NI 82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01

Luxe Motor 21.09 with certificate

VAT not applicable reduced in price 231005 Dimensions (m) 21.09 x 3.23 x 1.15 Ref. no. Mooring Near Leeuwarden, the Netherlands Year 1914 **Price information** reduced in price **Material** steel

Doeve Brokers

vachts & ships

Vision Doeve Brokers

Former inland cargo ship that has been converted into a recreational ship / cruising Live Aboard Dutch Barge with a spacious wheelhouse. The engine room is located in front of the wheelhouse. The engine room contains, among other things, the main engine, but also the powerful generator and an extensive Victron electrical installation. In front of the engine room is a spacious sun deck on which users are protected from the weather with a sun tent / bimini. The salon has a galley with bar, seating, 2x box beds and a bed. There is also a spud pole, hydraulic crane and an electric bow thruster on board. This Dutch Barge is well maintained and ES-TRIN certified until 03-2028.

€ 64.500,--

General information

General information	
Yard:	Shipyard C.W. van Straaten en Van der Brink, NL-Den Haag
Hull shape:	flatbottom
Hull material:	steel
Deck material:	steel
Superstructure material:	steel
	hardwooden top side of the wheelhouse
	aluminium wheelhouse roof
Construction method:	riveted
	new steel is welded
	rubbing strake around
	wide side decks (gunnels)
	open cockpit
	2 watertight bulkhead(s)
Steering system:	mechanical
	wheel
Windows:	aluminium windows frames
Displacement (approx.):	40 metric tons
Ballast (approx.):	present
· · · · · · · · · · · · · · · · · · ·	300 kg
Airdraft (approx.):	2,80 m everything down
Owner:	Dutch owner
Registration:	Dutch registered
	B-registered
	Costs for the change of ownership and / eventually deletion are for purchasers amount.
Colour / Paint System:	black hull
,	green bulwark
	white superstructure
	very well maintained
	last underwatership treatment 04-2025
Certificates:	inland waterways certificated (TRIWV / ES-TRIN)
	zone 2 Netherlands
	zone 3
	zone 4
	Waal, Lek & NL Rhine
	valid until: 03-2028
Suitable for / as:	inland waterways
	suitable for bigger waterways
	recreational vessel
Additional information:	classic lines
	Hull shape is suitable for drying out.
	forepeak with chain locker
	Great vessel for cruising on the European canals and rivers.
	Great vessel for cruising on the French canals and rivers.

Technical information

	1 steel tank(s)
Fresh water tank (approx.):	1200 litre
	Victron Blue Solar MPPT charge controller
Solar panels:	1 solar panel 360 Watt
	Victron MultiPlus combi inverter/charger 24/3000/70
Inverter:	Victron Orion inverter 24-12 Volt
	3450 running hours (approx.)
	1500 RPM
	17,2 kVA 230 Volt
Genny:	Lister Petter diesel genny
Isolation transformer:	Victron isolation transformer 2000 Watt
Battery isolator:	Victron Argofet battery isolator
	Victron MultiPlus combi inverter/charger 24/3000/70
	Victron Blue Power battery charger 24/8
	Victron Blue Power battery charger 24/12
Battery charger:	Victron Blue Power battery charger 24/15
	Victron BMV-702 battery monitor
	3x Victron Battery Balancer
	4x 200 Ah domestic batterie(s)
	1x 74 Ah starter batterie(s) generator
	2x 140 Ah starter batterie(s)
Batteries:	2x 220 Ah bow thruster batterie(s)
	Victron Color Control
	230 Volt shore power connection
Electricity system:	24 / 230 Volt
	24 Volt
	20 Hp
Bow thruster:	Max Power electric bow thruster
Heating:	stove on diesel
	19 km/hour top speed
Speed (approx.):	12 km/hour cruising speed at 1100 RPM
	reduction/ratio 4:1
Gearbox:	Reintjes BGA-180 hydraulic
	greased lubrication of propeller shaft
Propulsion:	4 blade propeller
	cooling pipes
Cooling system:	closed
(*********/ * *	2 steel tank(s)
Fuel tank (approx.):	500 litre
Fuel:	diesel
	after overhaul
Running hours (approx.):	8500 on the hour counter
Construction year engine:	1976
Number of cylinders:	6
Engine model:	DK1160
Engine brand: Revolutions:	2000 RPM
Engine brend:	DAF
Enginepower:	170 Hp 125 kW
Frankassan	170 -

Hot water system:	Daalderop Close-in boiler/water calorifier (230 Volt)
	15 litre
Bilge pump:	electric pump
Gas system:	yes, bottle(s) in bottle box on deck
Additional information:	LED lightning

Accommodation

Interior:	various materials have been used
	see photographs
	very well maintained
Insulation:	available
Cabins:	3 cabins
Berth:	Forward: 1x 2-pers
	Starboard cabin: 1x 2-pers
	Portside cabin: 1x 2-pers
	Salon: 1x 1-pers
Lay-out plan (not to scale):	see attachment
Toilet / Heads:	Forward:
	hand pumptoilet
	&
	Aft:
	day toilet
	flush toilet
	washbasin
	cold running water
Galley:	U-shape galley
Cooker:	4-burner hob
	stainless steel
	on gas
Fridge / Refrigerator:	Exquist fridge / refrigerator
	230 Volt
Freezer:	small ice compartment
Worktop:	stainless steel worktop
	& formica worktop
Washbasin:	stainless steel sink
Water tap:	mixer tap with hot & cold running water
Entertainment:	flatscreen TV
Headroom (approx.):	forward (approx.) 1,92 m
	corridor / walkthrough (approx.) 1,16 m
	toilet in the front (approx.) 1,84 m
	salon (approx.) 1,88 / 1,84 m
	galley (approx.) 1,88 m
	wheelhouse (approx.) 1,94 m
	toilet aft (approx.) 1,73 m

Navigation equipment

Navigation equipment:

Simrad EQ32 chartplotter / GPS

Our offer is not binding. Provided information is deemed to be correct but is not guaranteed. The Hiswa General Conditions For Mediation Vessels of the Hiswa Association are apply. Registered at the clerk of the districts court's office in Amsterdam.

2x Navman 7100 VHF with DSC
Em-Trak A200 Automatic Identification System (AIS)
compass
window wiper
search light
horn
navigation lights
rudder indicator

Rigging and sails

Mast:	steel
	& apparatus wing
	aluminium
Lowerable:	yes
	hydraulic

Equipment

A CONTRACT OF	
Anchor equipment:	anchor with chain
	spudleg / pole (electric)
	3,50 m under the bottom
	specified length(s) is/are approximate
Bimini:	bimini top above cockpit
Safety:	fire blanket
	fire extinguishers
	life buoys
	life jackets
	according to the certification requirements
	carbon monoxide detector(s)
Additional information:	hydraulic steel crane
	Survey report of the underwatership is available (03-2021)

















































































































