











Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



Luxe Motor 24.60 with TRIWV

Dimensions (m) 24.60 x 4.25 x 1.20 Ref. no. 231011

Mooring Near Arnhem, Netherlands Year 1925

Material steel

Vision Doeve Brokers

Former inland cargo ship that has been converted into a Cruising Live Aboard Dutch Barge / Houseboat. Are you dreaming of the ultimate living on the water? This beautiful Dutch Barge offers everything you need for a comfortable and adventurous life. The spacious cabin with a fixed double bed gives you a good night's sleep. Relax in the large salon with your own furniture. The kitchen is spacious and has plenty of space for cozy meals and gatherings with family or friends. The stylish and neat bathroom with shower cabin offers comfort and convenience. The wheelhouse with sliding doors and benches is a perfect place for steering and enjoying the panoramic view. In the aft cabin there is extra sleeping space for guests or family members. With a reliable Yanmar bow thruster diesel engine and a whisper generator, this ship is fully equipped for careless traveling and permanent living on board. This well-maintained Dutch Barge is ready for your adventure and to explore the European inland waterways. The current owner recently purchased the ship because of the associated berth to moor his own ship there. The previous owners lived on board for a long time and made many trips.

General information

General information	
Yard:	Shipyard "De Nieuwe Maas" N.J. van der Windt, NL-Vlaardingen
Hull shape:	flatbottom
Hull material:	steel
Deck material:	steel
Superstructure material:	steel
Construction method:	riveted
	new steel is welded
	rubbing strake around
	bulwark around
	wide side decks (gunnels)
	deckhouse
	closed bollard cabinets
	2 watertight bulkhead(s)
Steering system:	hydraulic
	wheel
	Orbitrol power steering
Windows:	wood window frames
	1x aluminium windows frames
	& rubber window frames
	single glass
	& double glazing
Displacement (approx.):	maximum allowable displacement 83,276 m ³
	displacement in empty condition 62,065 m ³
	displacement 21,211 m ³
	45 metric tons
Ballast (approx.):	3 metric tons
	poured concrete
Airdraft (approx.):	3,40 m
Owner:	Dutch owner
Registration:	Dutch registered
	B-registered
	Costs for the change of ownership and / eventually deletion are for purchasers amount.
Colour / Paint System:	black hull
	red bulwark
	cream superstructure
	very well maintained
	see photographs
	last underwatership treatment 09-2021
Certificates:	inland waterways certificated (TRIWV / ES-TRIN)
	zone 2 Netherlands
	zone 3
	zone 4
	Waal, Lek & NL Rhine
	valid until: 06-2029
Suitable for / as:	inland waterways
	suitable as a year round live- aboard
	& recreational vessel

General information: Old age clause applicable.

The seller has actually never used the vessel himself.

Additional information: forepeak

Hull shape is suitable for drying out.

Great vessel for cruising on the European canals and rivers.

Great vessel for cruising on the French canals and rivers.

Technical information

Enginepower: 165 Hp

121 kW

Engine brand: DAF
Engine model: DH825

Number of cylinders: 6
Construction year engine: 1980

Overhaul engine: 2000

Running hours (approx.): 2300 after overhaul

Fuel: diesel Fuel tank (approx.): 2100 litre

4 steel tank(s)

sludge trap(s) closed

Cooling system: closed cooling pipes

dry exhaust insulated exhaust

Propulsion: 4 blade propeller

greased lubrication of propeller shaft

Python constant velocity prop shaft with thrust bearing

Gearbox: PRM 750D3 hydraulic
Heating: Intergas hre central heating

on gas

Bow thruster: bow thruster with dieselengine (Yanmar)

26 Hp

proportional

Electricity system: 12 / 230 / 400 Volt

400 Volt shore power connection

Batteries: 2x 110 Ah starter batterie(s)

4x 110 Ah domestic batterie(s)

1x 100 Ah starter batterie(s) bow thruster / generator

Battery charger: Victron Phoenix battery charger 12/50

Victron Phoenix management system

Earth-leakage breaker: present

Genny: BW whisper set

13,5 kVA 230/400 Volt

1500 RPM

1450 running hours (approx.)

Inverter: Victron Phoenix Compact inverter 12/1600

Victron Phoenix Control

Fresh water tank (approx.): 4000 litre

2 steel tank(s)

coated

Water pressure system: Speck hydrophore pump

Hot water system: boiler/water calorifier (230 Volt)

45 litre

Holding tank (approx.): present

suitable for pumping sewage to the shore

400 Volt

1 stainless steel tank(s)

Bilge pump: present

submersible pump

230 Volt

Deck wash pump: electric pump

400 Volt

Gas system: via shore connection Additional information: partly LED lightning

Accommodation

Interior: pine

& Plywood

pine ceiling with laths (classic)

see photographs

Insulation: Rockwool

glass wool polystyrene

Cabins: 2 cabins

Berth: Forward: 1x 2-pers

Aft: 1x 2-pers

Lay-out plan (not to scale): see attachment

Bathroom: tiled bathroom

shower cubicle thermostat tap

washbasin with mixer tap and hot & cold running water

in 1 area together with the toilet

Toilet / Heads: flush toilet

Galley: along ships
Cooker: 4-burner hob

ceramic cooker cookerhood

stainless steel

Fridge / Refrigerator: Liebherr fridge / refrigerator

230 Volt

combination with freezer

Freezer: freezer

Washbasin: stainless steel sink

vegetable sink

Water tap: mixer tap with hot & cold running water

Headroom (approx.): wheelhouse (approx.) 1,94 m

corridor / walkthrough (approx.) 1,90 m

bathroom / toilet (approx.) 2,00 m

	galley (approx.) 1,92 m
	salon (approx.) 2,10 m
	cabin (approx) 2,05/2,15 m
	aftcabin (approx.) 1,86 m
Additional information:	hatch for moving

Navigation equipment

Navigation equipment:

Sailor RT144C VHF

L3 Automatic Identification System (AIS)

rudder indicator

navigation lights

horn

Alecto intercom

blue board with oscillating light

window wiper

Rigging and sails

Mast: lantern mast steel
Lowerable: yes manual

Equipment

Anchor equipment:	manual anchor winch
	Spek anchor
	anchor cable
	in hawse-hole
	Aft:
	manual anchor winch
	grapnel anchor
	anchor cable
	in hawse-hole
Safety:	fire extinguishers
	life buoys
	life jackets
	according to the certification requirements
	safe







































































































