



Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

	Doeve Brokers yachts & ships	
	TERDAM	
6-YB-839 - ROT	Iterum -	
	and the second sec	

 Phone
 +31 (0)10 248 98 30

 Mobile
 +31 (0)653 20 20 84

 E-mail
 info@doevemakelaar.nl

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01

# Electrical Sloop 6.10 (Thor)

Dimensions (m)	6.10 x 2.10 x 0.35	Ref. no.	231205
Mooring	Near Rotterdam, Netherlands	Year	2018
		Material	steel

#### Vision Doeve Brokers

Steel sloop from the Machinist brand with a length of 6.10 meters. Although this sloop was built for rental, no traces of it can be seen. She has been well maintained and is in very good condition. The 3 kW electric propulsion is good for sailing for approximately 9 hours at a speed of 6 km per hour. The sloop has a CE certification 'C' and can accommodate up to 7 people. The seller has made a special tiller. He used a part of an old steering wheel for this. A folding teak table is attached to the center console. If you are looking for a well-maintained steel electric sloop, then you have found what you are looking for.

## General information

Yard:	Inshore Creative, NL-Rotterdam
Hull shape:	flatbottom
Hull material:	steel 3 mm
Deck material:	Djinda Udu in cockpit
Steering system:	tiller
	balance rudder
Airdraft (approx.):	estimated 0,90 m
Owner:	Dutch owner
Colour / Paint System:	blue hull
	two component system
	last paint job (2023)
	last underwatership treatment (2023)
RCD / CE Certification:	C
Suitable for / as:	recreational vessel
General information:	from first owner
Additional information:	rope fender around

#### **Technical information**

Enginepower:	4,1 Hp
	3 kW
Engine brand:	Bellmarine
Engine model:	Ecoline
Fuel:	electric
Propulsion:	3 blade propeller
	stainless steel propeller shaft
	water lubricated propeller shaft
Speed (approx.):	6 km/hour cruising speed
Electricity system:	48 Volt
	230 Volt shore power connection
Batteries:	260 Ah traction batterie bank 48 Volt (2023)
	Victron BMV-700 battery monitor
Battery charger:	Victron Titan battery charger 48/25
Bilge pump:	manual pump
Additional information:	electric engine control system

## Equipment

Outdoor cushions:	cockpit cushion(s)
Awnings:	winter cover(s)
Safety:	life jackets































