












Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



Sailing Lugger 26.70

€ 1.200.000,--

RESIDENTIAL BERTH

VAT not applicable

Dimensions (m) 36.00/26.70 x 6.55 x 2.70 Ref. no. 240301

Mooring Near Rotterdam, Netherlands Year 1910

Price information RESIDENTIAL BERTH Material steel

Vision Doeve Brokers

This former fishing lugger has been transformed into a luxurious sailing live aboard vessel ready to welcome you into her enchanting world of comfort and adventure. Step aboard on a unique piece of maritime history, now available on the market! Located in Rotterdam's most beautiful port, this majestic sailing yacht offers not only breathtaking views of the city skyline, but also a lifestyle steeped in luxury and relaxation. Enter the spacious deck salon with the cozy round seating area while enjoying the view over the water. Below deck you will find the living room with an open kitchen, the master cabin complete with walk-in wardrobe, the sumptuous bathroom with even a luxurious sauna and two guest cabins. The interior has been carefully designed and expertly crafted by professional carpenters, with no expense spared to create a perfect balance between authenticity and modern comfort. Every detail has been thought through, from the wooden finishes to the refined furniture. With this ship, you can not only enjoy the comforts of home, but also experience the freedom of exploring the vast waters. Wonderful sea voyages lie ahead of you to destinations such as France, the UK, Germany or Scandinavia, where you will be warmly welcomed at the ports.

General information

Yard: N.V. Scheepsbouwwerf en Machinefabriek 's Lands Welvaren, I.S. Figee Yard rebuilt: Yard Flevo Jachtbouw & Yard Ventis & Woodwave Rebuilt year: 2000 2011/2013 interior Hull shape: S-bilge Hull material: iron/steel Deck material: steel Iroko hardwood Superstructure material: steel Construction method: riveted new steel is welded bulwark rubbing strake around deckhouse wide side decks (gunnels) 3 watertight bulkhead(s) 3 watertight bulkhead(s) with watertight door(s) hydraulic Steering system: wheel on steering pedestal Windows: bronze window frames window blinds Displacement (approx.): 150 metric tons Ballast (approx.): poured concrete 28,00 m Airdraft (approx.): Owner: **Dutch** owner Registration: **Dutch registered** B-registered Costs for the change of ownership and / eventually deletion are for purchasers amount. Colour / Paint System: two component system black hull black bulwark white superstructure very well maintained see photographs last underwatership treatment 05-2018 Certificates: inland waterways certificated (TRIWV / ES-TRIN) zone 2 Netherlands zone 3 zone 4 Waal, Lek & NL Rhine valid until: 05-2025 Suitable for / as: ocean going seaworthy coastal waters

| | inland waterways |
|-------------------------|---|
| | suitable as a year round live- aboard |
| | & recreational vessel |
| General information: | Old age clause applicable. |
| | offered in the condition that she is in |
| | Any transactions must be submitted to the client or owner of the vessel for approval. Until |
| | this approval has been granted, all offers made are entirely without obligation. |
| | good sailing characteristics |
| Additional information: | classic sailing yacht |
| | spacious aftdeck |
| | forepeak with chain locker |
| | straight hull |
| | classic lines |

Technical information

| Enginepower: | 350 Hp |
|---------------------------|------------------------------------|
| | 257 kW |
| Engine brand: | Iveco Aifo |
| Revolutions: | 1500 RPM |
| Engine model: | 8210SRM36 |
| Number of cylinders: | 6 |
| Construction year engine: | 1986 |
| Running hours (approx.): | 10650 on the hour counter |
| Fuel: | diesel |
| Fuel tank (approx.): | 2x 1350 litre |
| | 1x 1600 litre |
| | steel tank(s) |
| Cooling system: | intercooling |
| | dry exhaust |
| | insulated exhaust |
| Propulsion: | 3 blade propeller |
| | oil bath propeller stern tube |
| Gearbox: | Twin Disc MG514 hydraulic |
| | reduction/ratio 4,50:1 |
| Speed (approx.): | 7 knots cruising speed at 1000 RPM |
| Heating: | Kabola B25 central heating |
| | on diesel |
| | radiators |
| | & floor heating |
| | & stove on wood |
| Engine instruments: | present |
| Bow thruster: | hydraulic bow thruster |
| | proportional |
| | 60 Hp |
| Electricity system: | 24 / 230 / 400 Volt |
| | 400 Volt shore power connection |
| | professionally installed system |
| Batteries: | 2x 200 Ah starter batterie(s) |
| | 1x starter batterie(s) generator |

traction batterie bank 12x 6 Volt

Battery charger: present

Isolation transformer: 3x Victron 3600 Watt isolation transformer

Earth-leakage breaker: present

Genny: Jelmer Valk whisper set

35 kVA 230/400 Volt, 1500 RPM Mercedes Benz diesel genny

48 kVA 230/400 Volt, 1500 RPM

Inverter: Victron Phoenix inverter 24/3000

Fresh water tank (approx.): 2x 5500 litre

steel tank(s)

cemented tank(s)

Water pressure system: hydrophore pump (niet/not/nicht/ne pas 100%)

Hot water system: boiler/water calorifier

through the central heating

Holding tank (approx.): 1300 litre black water tank(s)

1300 litre gray water tank(s)

steel tank(s)

Diesel waterseparator: present

Bilge pump: electric pump

with manifold

&

by engine

Deck wash pump: present

electric pump

Gas system: yes, bottle(s) in bottle box on deck

Additional information: main engine with PTO for the hydraulic

air compressor

Accommodation

Interior: Cape Marine Board

Marine Plywood

oak finish

oak floor(s)

luxurious interior

see photographs

Insulation: glass wool

& Rockwool

Cabins: 3 cabins

Berth: Forward: 4x 1-pers

Starboard: 1x 1-pers

owners cabin: 1x 2-pers (1,40 x 2,20 m)

Lay-out plan (not to scale): see attachment

Bathroom: Forward:

En Suite

shower

thermostat tap

washbasin with mixer tap and hot & cold running water

in 1 area together with the toilet

Portside: bath thermostat tap 2x shower thermostat tap washbasin with mixer tap and hot & cold running water in 1 area together with the toilet 400 Volt sauna Toilet / Heads: 2x toilet in bathroom 1x day toilet washbasin with mixer tap and hot & cold running water Galley: L-shape galley Cooker: 3-burner hob electric cooker & 2-burner hob on gas cookerhood electric oven Oven: & Baumatic combi steamer oven Fridge / Refrigerator: present 230 Volt Freezer: present 230 Volt Worktop: stainless steel worktop Washbasin: stainless steel sink Water tap: mixer tap with hot & cold running water Dishwasher: present **Entertainment:** 3x flatscreen TV WIFI repeater Headroom (approx.): salon above (approx.) 1,92 m corridor / walkthrough (approx.) 1,97 m toilet aft (approx.) 1,92 m salon (approx.) 2,52 m galley (approx.) 2,46 m corridor / walkthrough (approx.) 2,08 m bathroom / toilet (approx.) 2,50 m ownerscabin (approx.) 2,50 m guest cabin (approx.) 2,06 m forward (approx.) 2, 14 m bathroom / toilet in the front (approx.) 2,05 m Additional information: Siemens washing machine Bosch tumble dryer useful as live-aboard The vessel will be delivered as without the private goods like furniture, clothing, artwork

Navigation equipment

Navigation equipment: Furuno FM-8500 VHF with DSC

and tools.

| ICOM IC-M503 VHF |
|--|
| chartplotter |
| Furuno daylight radar |
| Simrad depth / echosounder |
| Simrad windset |
| Simrad log / speed |
| Robertson RI35 rudder indicator |
| Furuno NX-300 Navtex |
| Furuno GP-32 GPS |
| ICOM IC-M710 MF/HF Marine transceiver / GMDSS |
| Nauticast Automatic Identification System (AIS) (niet/not/nicht/ne pas 100%) |
| Simrad AP70 autopilot |
| chartplotter |
| barometer |
| horn |
| navigation lights |
| ships bell |

Rigging and sails

| Rigging type: | gaff ketch rigged |
|-------------------------|---|
| Mast: | 2x wooden mast |
| | larch |
| Lowerable: | no |
| Boom: | 2x wooden boom |
| | larch |
| Gaff: | 2x aluminium |
| Jib boom / Bowsprit: | lariks wooden bowsprit (niet/not/nicht/ne pas 100%) |
| Winches: | 1x electrical winch |
| | 2x backstay winch |
| | 1x halyard winch selftailing 2 speed |
| | 3x sheet winch selftailing 2 speed |
| Material of the sails: | Dacron |
| Sails: | mizzen 80,5 m² |
| | topsail 21,6 m ² |
| | mainsail 103,4 m² |
| | fisherman sail 71,6 m² |
| | Gaff topsail 26,0 m ² |
| | jib 40,4 m² |
| | yankee 59,0 m ² |
| | flyer 48,4 m ² |
| | $= 450 \text{ m}^2$ |
| Additional information: | aluminium topmast(s) |
| | sail covers |
| | Lazy Jacks |
| | 4x pin rail |
| | |

Equipment

| Anchor equipment: | electric anchor winch |
|-------------------------|---|
| | 2x Klipp anchor |
| | 2x anchor chain |
| | in hawse-hole |
| Searail / Pulpit: | searail on bulwark |
| Dinghy: | Plastic |
| Safety: | life buoys |
| | fire extinguishers |
| | life jackets |
| | according to the certification requirements |
| | DEBEG 5900 SART |
| | RapidFix 460 EPIRB |
| Additional information: | 2x skylight |
| | covers over skylights |
| | aluminium gangway |
| | Survey report of the underwatership is available (05-2018) |
| | deck lights |
| | cover over dinghy |
| | The berth is not automatically transferable. However, a potential new owner can submit a |
| | request for takeover to the port if they wish to keep the berth. An introductory meeting is |
| | part of the decision-making process. |
| | |















































































































































