











Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



# Inland / Coastal Barge 25.40, Rhine certified

€ 85.000,--

reduced in price VAT not applicable

Dimensions (m) 25.40 x 5.00 x 1.15 Ref. no. 240503

Mooring Near South Netherlands Year 1902

Price information reduced in price Material steel

#### Vision Doeve Brokers

Former sailing estuary freighter / coaster that was built to supply the German Wadden Islands. In 1953 the ship was extended and provided with a raised stern and she was also remotorised. In the 1970s she was put into use as a workship with a crane on deck. This Dutch Barge has been in use as a cruising houseboat since 1985. The current owner sails with the ship throughout Western Europe and has even been to Briare, France. This can be done after everything that can be dismantled to achieve the lowest possible air draft has been removed. She is ready to go. The aft cabin is now in use as a workshop and eventually this could become a cabin again. It is a fully autonomous ship with, among other things, solar panels, generator, inverter, etc. etc. Fully Rhine certified.

#### General information

Yard: Shipyard G en H Bodewes, NL-Martenshoek Hull shape: flatbottom Hull material: iron/steel Deck material: iron/steel Superstructure material: steel Construction method: riveted new steel is welded rubbing strake around bulwark wide side decks (gunnels) canoe stern closed bollard cabinets Sturdy, heavily constructed 1 watertight bulkhead(s) with watertight door(s) 1 watertight bulkhead(s) Steering system: mechanical wheel steel rudder attached rudder Windows: portholes wood window frames 58 m<sup>3</sup> Displacement (approx.): Ballast (approx.): poured concrete Airdraft (approx.): 4,30 m 3,49 m everything down Owner: British owner Registration: SSR German registered Costs for the change of ownership and / eventually deletion are for purchasers amount. Colour / Paint System: black hull blue bulwark white superstructure one component system underwater ship completely stripped (hydrojet) two component system last underwatership treatment 10-2023 Certificates: Union Inland Navigation Certificate (ES-TRIN) zone 3 zone 4 zone R (Rhine) valid until: 03-2027 Suitable for / as: inland waterways coastal waters suitable as a year round live- aboard & recreational vessel General information: Old age clause applicable. The ship is recognized as a Historic Vessel Additional information: Hull shape is suitable for drying out.

spacious aftdeck

spacious upperdeck

Great vessel for cruising on the European canals and rivers.

Great vessel for cruising on the coastal waters.

#### Technical information

Enginepower: 120 Hp

88 kW

Engine brand: Mercedes 1200 RPM **Revolutions:** M204B Engine model:

Number of cylinders: 4 Construction year engine: 1957 Running hours (approx.): unknown Fuel: diesel

Fuel tank (approx.): 1500 litre 2 steel tank(s)

> sludge trap(s) low level alarm

Cooling system: closed

> keel cooling dry exhaust

insulated exhaust

Propulsion: 3 blade propeller

greased lubrication of propeller shaft

2022 shaft bearing

Reintjes BOU Gearbox:

reduction/ratio 2:1

9 km/hour cruising speed at 700 RPM Speed (approx.):

14 km/hour top speed

Heating: Kabola B12 stove on diesel

floor heating

& central heating (niet/not/nicht/ne pas 100%)

Bow thruster: Duco electric bow thruster

> 7,5 kW 400 Volt proportional

24 / 230 / 400 Volt

Electricity system:

230 Volt shore power connection 400 Volt shore power connection

Batteries: 2x 180 Ah starter batterie(s)

1x 74 Ah starter batterie(s) generator

4x 190 Ah AGM domestic batterie(s) (03-2024)

Victron battery balancer

battery monitor

Victron MultiPlus combi inverter/charger 24/3000/70 Battery charger:

Victron isolation transformer 3600 Watt Isolation transformer:

Earth-leakage breaker: present

Genny: Hatz whisper set 10 kVA 230/400 Volt

1500 RPM

Inverter: Victron MultiPlus combi inverter/charger 24/3000/70

Solar panels: 6x solar panel

Fresh water tank (approx.): 3400 litre

2 steel tank(s)

coated

Water pressure system: hydrophore pump

Hot water system: boiler/water calorifier (230 Volt)

Holding tank (approx.): 450 litre

1 plastic tank(s)

Bilge pump: electric pump

also deckwash pump

2x submersible pump

Gas system: no gas on board Additional information: air compressor

#### Accommodation

Interior: Plywood

ceiling with laths (classic)

Insulation: hard foam plates

Cabins: 2 cabins

Berth: Forward: 2x 1-pers

Midships: 1x 2-pers & 2x 1-pers

Lay-out plan (not to scale): see attachment

Bathroom: shower

thermostat tap

washbasin with mixer tap and hot & cold running water

in 1 area together with the toilet

Toilet / Heads: toilet in bathroom
Galley: U-shape galley
Cooker: 2-burner hob

induction cooker microwave/oven

Fridge / Refrigerator: present

Oven:

230 Volt

Freezer: present

230 Volt

Washbasin: 2x stainless steel sink

Water tap: mixer tap with hot & cold running water

Entertainment: 2x flatscreen TV

Headroom (approx.): wheelhouse (approx.) 2,03 m / 1,86 m

galley (approx.) 2,19 m salon (approx.) 1,93 m

bathroom / toilet (approx.) 2,01 m

cabin (approx) 2,24 m

forward cabin (approx.) 1,84 m

aftcabin (approx.) 1,97 m

Additional information: The vessel will be delivered with everything on board less personal effects & artwork.

## Navigation equipment

Navigation equipment:	Debeg Sailor 7644 VHF
	Simrad V5035 Automatic Identification System (AIS)
	Radar Pilot 720 chartplotter
	ICOM IC-M330 VHF with DSC
	navigation lights
	blue board with oscillating light
	horn
	barometer
	clock
	hygrometer
	thermometer
	Nasa Target 2 depth / echosounder
	camera system
	clinometer

## Rigging and sails

Mast:	lantern mast
	aluminium
Lowerable:	yes
	manual

### Equipment

Anchor equipment:	manual anchor winch with electric motor (400 Volt)
	1x Spek anchor
	1x Klipp anchor
	1x anchor chain
	1x anchor cable
	in hawse-hole
Searail / Pulpit:	guardrail around side-walks
	guardrail around aftdeck
	guardrail around upperdeck
Dinghy:	aluminum dinghy
Davits:	present
Safety:	life jackets
	life buoys
	fire extinguishers
	according to the certification requirements
	safe
Additional information:	deck lights
	2x skylight
	aluminium gangway
	Survey report of the underwatership is available (03-2022)
	steering chair

sundeck



















































































































































