



Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NI -3133 AV Vlaardingen

Doeve Brokers yachts & ships	Phone Mobile
and the first had a first of the state of th	E-mail Website
- Date Bart Bart Bart	IBAN NI CoC Roi
	VAT NL

nail info@doevemakelaar.nl bsite www.doevemakelaar.nl www.doeve.be www.doeve.fr

+31 (0)10 248 98 30 +31 (0)653 20 20 84

N NI 82 INGB 0664 0466 73 C Rotterdam 24266857 NL8214.04.520.B01

Luxe Motor 26.13 with ES-TRIN

€ 149.500,--

050404

VAT not applicable

Dimensions (m)

26.13 x 4.69 x 1.25

Mooring

Near Kortrijk, Belgium

Ref. no.	250401
Year	1920
Material	steel

Vision Doeve Brokers

Former inland cargo vessel, completely converted into a comfortable live aboard vessel. Three cabins have been created on board, each with its own en-suite bathroom. The spacious salon features a large U-shaped galley, providing a pleasant stay on board. The wheelhouse is equipped with a folding roof section, allowing an air draft of approximately 2.90 meters. The current owner has undertaken extensive voyages with this vessel through the Netherlands, Belgium and France – including the Canal du Midi – proving the ship to be a reliable and comfortable cruising vessel. From a technical perspective, the vessel is in good condition. There is a Scania Vabis main engine, with a Beta Marine diesel auxiliary engine installed, which drives the hydraulic bow thruster. In addition, the vessel is equipped with a hydraulic deck crane and two hydraulically operated spud poles. The layout makes the this Dutch Barge ideal for living on board or for taking guests on board. In our view, a unique opportunity to acquire a spacious and well-equipped vessel with a proven track record in various cruising areas.

General information

General Information	
Yard:	Shipyard N.V. Scheepsbouwwerf De Dageraad, v/h Wed. J. Boot, NL-Woubrugge
Hull shape:	flatbottom
Hull material:	steel
Deck material:	steel
Superstructure material:	steel
	hardwooden top side of the wheelhouse
Construction method:	riveted
	new steel is welded
	rubbing strake around
	bulwark around
	wide side decks (gunnels)
	deckhouse
	2 watertight bulkhead(s)
Steering system:	mechanical
	wheel
Windows:	hardwood window frames
	double glazing
	hardwood outside doors
Displacement (approx.):	maximum allowable displacement 75,866 m ³
	displacement in empty condition 59,541 m ³
	displacement 16,325 m ³
Ballast (approx.):	present
	trim ballast
Airdraft (approx.):	3,30 m
	everything down 2,90 m
Owner:	British owner
Registration:	Belgian registered
Colour / Paint System:	black hull
	green bulwark
	white superstructure
	last underwatership treatment 04-2023
	2011 completely stripped down to the bare steel by hydrojetting
	Jotun two component system
Certificates:	inland waterways certificated (TRIWV / ES-TRIN)
	zone 2 Netherlands
	zone 3
	zone 4
	valid until: 04-2030
Suitable for / as:	inland waterways
	suitable as a year round live- aboard
	recreational vessel
General information:	Old age clause applicable.
	Any transactions must be submitted to the client or owner of the vessel for approval. Until
	this approval has been granted, all offers made are entirely without obligation.
Additional information:	Hull shape is suitable for drying out.
	spacious upperdeck
	wheelhouse

forepeak with chain locker Great vessel for cruising on the European canals and rivers. Great vessel for cruising on the French canals and rivers.

Technical information

Enginepower:	165 Hp
	121 kW
Engine brand:	Scania Vabis
Engine model:	D10R01
Number of cylinders:	6
Running hours (approx.):	6438 on the hour counter
Fuel:	diesel
Fuel tank (approx.):	1x 500 litre white
	1x 400 litre red
	steel tank(s)
Cooling system:	intercooling
	dry exhaust
	insulated exhaust
Propulsion:	4 blade propeller
	greased lubrication of propeller shaft
Gearbox:	Paragon P45L
Heating:	Guillot Cythia 16/22 central heating
	combi boiler
	on diesel
Bow thruster:	hydraulic bow thruster
	Beta Marine diesel
	30 Hp
Electricity system:	24 / 230 Volt
	230 Volt shore power connection
Batteries:	850 Amperé traction batterie bank
	2x 100 Ah starter batterie(s) bow thruster
	Victron BVM 602s battery monitor
Battery charger:	Clarke BC410E battery charger
Alternator:	1x 100 ampère
	1x 200 ampère
Inverter:	OutBack VFX3024E combi inverter/charger 24/300/85
Fresh water tank (approx.):	2000 litre
	2 steel tank(s)
Water pressure system:	1x 24 Volt hydrophore pump
	1x 230 Volt hydrophore pump
Holding tank (approx.):	not present, enough space to build-in
Bilge pump:	1 electric pump
Gas system:	yes, bottle(s) in bottle box on deck
Additional information:	auxiliary engine with PTO for the hydraulic
	air compressor

Accommodation

Interior:	various materials have been used
	Plywood
	wooden floor(s)
	ceiling with laths (classic)
	see photographs
Insulation:	Rockwool
Cabins:	3 cabins
Berth:	Forward: 1x 2-pers
	Starboard cabin: 2x 1-pers
	Aft: 1x 2-pers
Lay-out plan (not to scale):	see attachment
Bathroom:	owners cabin
	En Suite
	shower
	thermostat tap
	in 1 area together with the toilet
	washbasin with mixer tap and hot & cold running water
	Starboard:
	En Suite
	shower
	thermostat tap
	in 1 area together with the toilet
	washbasin with mixer tap and hot & cold running water
	Aft:
	En Suite
	shower
	mixer tap with hot & cold running water
	washbasin with mixer tap and hot & cold running water
	in 1 area together with the toilet
Toilet / Heads:	2x electric toilet
	1x flush toilet
Galley:	U-shape galley
Cooker:	5-burner hob
	stainless steel
	on gas
Oven:	gas oven
Microwave:	present
Fridge / Refrigerator:	fridge / refrigerator
	230 Volt
_	combination with freezer
Freezer:	freezer
Worktop:	tiled worktop
Washbasin:	1x sink
147 1	1x vegetable sink
Water tap:	mixer tap with hot & cold running water
Dishwasher:	present
Entertainment:	flatscreen TV
	radio/CD player
	selfsearching satellite antenna
Headroom (approx.):	wheelhouse (approx.) 1,87 m

Our offer is not binding. Provided information is deemed to be correct but is not guaranteed. The Hiswa General Conditions For Mediation Vessels of the Hiswa Association are apply. Registered at the clerk of the districts court's office in Amsterdam.

	aftcabin (approx.) 1,82 m
	bathroom / toilet aft (approx.) 1,77 m
	galley (approx.) 2,15 m
	salon (approx.) 1,95 m
	corridor / walkthrough (approx.) 1,95 m
	guest cabin (approx.) 1,99 m
	bathroom / toilet (approx.) 1,97 m
	ownerscabin (approx.) 2,05 m
	bathroom / toilet (approx.) 2,03 m
Additional information:	washing machine
	inventory
	The vessel will be delivered with everything on board less personal effects & artwork.

Navigation equipment

Navigation equipment:	M-Tech MT-550 VHF with DSC
	Class A Automatic Identification System (AIS)
	rudder indicator
	blue board
	navigation lights
	horn
	tunnel light

Rigging and sails

Mast:	aluminium mast
Lowerable:	yes
	manual

Equipment

Anchor equipment:	manual windlass with hydraulic motor
	Spek anchor
	anchor chain
	in hawse-hole
	2x spudleg / pole (hydraulic)
	1,5 m under the bottom
	specified length(s) is/are approximate
Searail / Pulpit:	guardrail around upperdeck
Dinghy:	present
Davits:	present
Safety:	fire extinguishers
	life jackets
	life buoys
	according to the certification requirements
	fire blanket
	smoke detector(s)
Additional information:	hard wooden skylight
	1000 kg hydraulic steel crane





















































































































































