











Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



Motoryacht 20.18 GSOK

€ 269.000,--

VAT not applicable

Dimensions (m) 20.18 x 4.85 x 1.15 Ref. no. 250806

Mooring Near Tilburg, Netherlands Year 1997

Material steel

Vision Doeve Brokers

This robust and sturdy ship was built as a Parlevinker (floating shop). Due to circumstances she was never used for this purpose and the current owner had her converted in 2008/2009 into the cruising liveaboard she is today. This major renovation focused on living, comfort and autonomy. The underwater hull and freeboard were sandblasted in 2022. The very spacious salon is equipped with underfloor heating, plastic window frames, double glazing, screens and offers a panoramic view of the surroundings. The generous aft deck is a wonderful outdoor living area. The electrical system was an important focus during the renovation. In addition to the combi inverter/charger, there are 12 service batteries powered by 12 solar panels. A professional generator is also included. The ship is completely self-supporting and equipped with two spud poles. This solid motor yacht offers you space, comfort and autonomy to travel, to enjoy and, if desired, to live on board.

General information

Yard: Shipyard Sepers en ZN, NL-Heerewaarden Rebuilt year: interior 2010/2015 Hull shape: flatbottom round bilges Hull material: steel Deck material: steel Superstructure material: steel Construction method: stainless steel bollards closed bollard cabinets 3 watertight bulkhead(s) wide side decks (gunnels) plastic rubbing strake (boeg/bow/Bogen/arc) transom stern Steering system: hydraulic wheel Becker rudder Windows: plastic window frames double glazing screens for all windows Displacement (approx.): maximum allowable displacement 70,455 m³ displacement in empty condition 56,418 m³ displacement 14,037 m³ Ballast (approx.): 3 metric tons steel Airdraft (approx.): 3,45 m everything down Owner: **Dutch** owner Registration: **Dutch registered** B-registered Costs for the change of ownership and / eventually deletion are for purchasers amount. underwater ship and hull sandblasted 2022 Colour / Paint System: = two component system black hull (2022) white superstructure (2022) last underwatership treatment 2022 Certificates: inland waterways certificated (TRIWV / ES-TRIN) zone 3 zone 4 zone 2 Netherlands Waal, Lek & NL Rhine valid until: 09-2029 Suitable for / as: suitable as a year round live- aboard recreational vessel inland waterways Additional information: motor yacht Hull shape is suitable for drying out. Great vessel for cruising on the French canals and rivers.

Great vessel for cruising on the European canals and rivers.

Technical information

Enginepower: 285 Hp

210 kW

Engine brand: Deutz/MWM
Revolutions: 1800 RPM
Engine model: TBD 234 V06

Number of cylinders: 6

Construction year engine: 1996 into operation

Running hours (approx.): 1500 on the hour counter

Fuel: diesel

Fuel tank (approx.): 2x 1500 litre

steel tank(s)

Cooling system: closed

box cooler

insulated exhaust

dry exhaust

Propulsion: 5 blade propeller

greased lubrication of propeller shaft

greasing device

Gearbox: Dong-i DMT 100T hydraulic

reduction/ratio 2,82:1

Heating: Kabola KM7-20 central heating

on diesel

radiators & floor heating

Siemens thermostat

Bow thruster: Duco electric bow thruster

24 Volt

20 Hp

Stern thruster: Duco electric stern thruster

24 Volt

16 Hp

Electricity system: 12 / 24 / 230 / 400 Volt

230 Volt shore power connection

Victron Digital Multi Control

Batteries: 12x 260 Ah domestic batterie(s)

2x 280 Ah starter batterie(s)

1x 115 Ah starter batterie(s) generator =

Victron BMV-600S battery monitor

Battery charger: Victron Blue Power combi inverter/charger 24/5000/120

Victron Blue Power battery charger

Earth-leakage breaker: present

Genny: MWM/Deutz diesel genny 230/400 Volt

20 kVA

1500 RPM

980 on the hour counter (approx.)

box cooler

Alternator: 2x alternator

Inverter: Victron Blue Power combi inverter/charger 24/5000/120

Solar panels: present

12x 340 Watt

4x 40 amp Victron BlueSolar MPPT charge controller

Fresh water tank (approx.): 1x 2250 litre

1x 500 litre

stainless steel tank(s)

Water pressure system: DAB easybox hydrophore pump

Hot water system: 2x boiler/water calorifier (230 Volt)

1x 60 + 1x 10 litre

Holding tank (approx.): 1x 500 litre

stainless steel tank(s)

macerator wastewater pump

Diesel waterseparator: present

Engineroom: insulated engineroom

Bilge pump: with manifold

Deck wash pump: with manifold

3x electric pump

400 Volt

Gas system: no gas on board

Additional information: LED lightning

Accommodation

Interior: teak finish

laminate floor(s)

various materials have been used

Insulation: glass wool &

Rockwool

Cabins: 3 cabins

Berth: owners cabin: 1x 2-pers

Guest cabin(s): 1x 2-pers

Lay-out plan (not to scale): see attachment

Bathroom: shower

thermostat tap

walls of waterproof plate material

Toilet / Heads: electric toilet

washbasin

mixer tap with hot & cold running water

Galley: along ships
Cooker: 4-burner hob

induction cooker

Oven: microwave/oven

Fridge / Refrigerator: 1x 230 Volt
Freezer: 1x 230 Volt
Entertainment: DVD-player

radio/CD player

2x flatscreen TV

Headroom (approx.): forecabin (approx.) 1,83 m

galley (approx.) 2,00 m

	ownerscabin (approx.) 2,00 m
	toilet (approx.) 2,01 m
	salon (approx.) 2,03 m
	guest cabin (approx.) 1,70 m
Additional information:	Beko washing machine
	Euroflow central vacuum clean system
	The vessel will be delivered as without the private goods like furniture, clothing, artwork
	and tools.

Navigation equipment

Navigation equipment:	L3 communications Automatic Identification System (AIS)
	Debeg RT 6448 VHF
	XM 2000 portable VHF
	Cobra HH350 portable VHF
	navigation computer
	Hikvision camera system
	B&G log / speed
	Lowrance X-510 depth / echosounder
	Hape intercom
	navigation lights
	window wiper
	horn
	rudder indicator
	blue board with oscillating light
	search light
	horn light

Rigging and sails

Mast: apparatus wing stainless steel

Lowerable: yes electric

Equipment

_90.101.10	
Anchor equipment:	manual anchor winch
	Pool anchor
	anchor chain
	in hawse-hole
	warping drum
	1x 2,5 m spudleg / pole (electric)
	1x 3,5 m spudleg / pole (electric)
	under the bottom
	specified length(s) is/are approximate
Cockpit tent:	present
	Stainless steel frame
Boarding ladder:	present

	aluminium
Davits:	electric
	aluminium
Safety:	fire extinguishers
	life buoys
	life jackets
	according to the certification requirements
Additional information:	2x aluminium gangway
	mosquito nets for windows
	electric crane
	Survey report of the underwatership is available (03-2022)



















































































































