











Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



Spits Peniche 39.28 Rhine certified

€ 49.500,--

price incl. VAT

Dimensions (m) 39.28 x 5.10 x 2.49 Ref. no. 250809

Mooring Near Zwolle, Netherlands Year 1962

Material steel

Vision Doeve Brokers

A cargo vessel specifically built for the French inland waterways, which is still actively in service and certified for this purpose. This fully welded Spits Freycinet combines the advantages of an operational commercial vessel with the attractive possibility for conversion into a (cruising) liveaboard. The hold is fitted with a steel floor and, with a headroom of approx. 2.40 m under the sidewalks and up to 2.65 m under the aluminium hatches, offers excellent opportunities for conversion into a spacious living space. The fore cabin is currently in use as a storage/laundry area. In the aft cabin there is the accommodation, equipped with a toilet and bathroom, a spacious salon with open galley and at the stern a 2-persons cabin. In short, an interesting cargo vessel with great potential, which requires modernization and maintenance in several areas. This has already been taken into account in the current asking price.

General information

derioral information	
Yard:	Shipyard Van Langerbrugge, B-Gent
Hull shape:	flatbottom
Hull material:	steel
Deck material:	steel
Superstructure material:	steel
	aluminium hatch covers over hold
	hardwooden top side of the wheelhouse
Construction method:	welded
	rubbing strake
	deckhouse
	forward deckhouse
	closed bollard cabinets
	stainless steel bollards
	steel flooring in the hold
	3 watertight bulkhead(s)
	raised upperpart hold
Displacement (approx.):	loading capacity 360,313 m ³
Airdraft (approx.):	4,40 m
	3,40 m everything down
Owner:	Dutch owner
Registration:	Dutch registered
	B-registered
	Costs for the change of ownership and / eventually deletion are for purchasers amount.
Colour / Paint System:	black hull
	white superstructure
	some overdue maintenance
	see photographs
Certificates:	Rhine certificated (ROSR)
	open sea to Basel
	= zone R (Rhine)
	valid until: 04-2029
Suitable for / as:	commercial shipping
	inland shipping
	recreational vessel
	suitable as a year round live- aboard
	workshop
	cargo barge
General information:	offered in the condition that she is in
	The current berth may differ from what is indicated as the vessel operates internationally.
	Old age clause applicable.
	For sale because of the age of the seller.
Additional information:	The relevant VAT included in the asking price. Sale at 0% VAT to a is eventually possible if
	the buyer meets the applicable VAT guidelines.
	Great vessel for cruising on the European canals and rivers.
	Great vessel for cruising on the French canals and rivers.
	5

Technical information

Enginepower: 340 Hp

250 kW

Engine brand: Cummins
Revolutions: 1800 RPM

Revolutions: 1800 RPM Engine model: NT855-M

Number of cylinders: 6

Construction year engine: 1999
Overhaul engine: 12-2017

Running hours (approx.): 12500 after overhaul

Fuel: diesel

Fuel tank (approx.): 2x 2250 litre

1x 100 litre steel tank(s)

BOBS overflowing fuel safety system

Cooling system: closed

box cooler

Propulsion: 4 blade propeller

greased lubrication of propeller shaft

greasing device

Gearbox: Twin Disc MG-5091DC hydraulic (2017)

reduction/ratio 4,5:1

Speed (approx.): 13 km/hour cruising speed at 1200 RPM (leeg/empty/leer/vide)

Heating: Kabola B12 central heating

on diesel

& via air conditioning unit

Air conditioning: Haier air conditioning

in the saloon present

reversed circle

Bow thruster: 13,5 kW

electric bow thruster

400 Volt

proportional

Electricity system: 24 / 230 / 400 Volt

Batteries: 2x 55 Ah starter batterie(s) (Optima Red Top)

1x 90 Ah starter batterie(s) generator

900 Ah traction batterie bank

Victron battery monitor

Battery charger: Victron Skylla-TG battery charger 24/100

Mastervolt Mass battery charger 24/25

Genny: 17,5 kVA 230/400 Volt

Lister Petter

Inverter: Victron Phoenix inverter 24/650

Victron Phoenix inverter 24/3000

Solar panels: 4x 350 WP solar panel

2x Victron MPPT charge controller 100/15

2x Victron MPPT charge controller 75/15

Fresh water tank (approx.): 1x 1000 litre

1x 800 litre

Water pressure system: hydrophore pump

Hot water system: geyser (gas heater)

Holding tank (approx.): not present, enough space to build-in

Diesel waterseparator: present

Engineroom: overdue maintenance

Bilge pump: general service pump

400 Volt

also deckwash pump

with manifold

Gas system: yes, bottle(s) in bottle box

Additional information: spare propeller

Accommodation

Interior: simple interior

see photographs

overdue maintenance

Insulation: available
Bathroom: shower

hot & cold running water

Toilet / Heads: above water toilet

Galley: along ships
Cooker: 4-burner hob

stainless steel

on gas

Fridge / Refrigerator: present Freezer: present

Water tap: hot & cold running water

Headroom (approx.): wheelhouse (approx.) 1,84 m

corridor / walkthrough (approx.) 1,80 m

toilet (approx.) 1,79 m bathroom (approx.) 1,80 m salon (approx.) 1,86 m cabin (approx) 1,92 m

cargo hold (approx.) 2,40 m / 2,65 m

Additional information: washing machine

tumble dryer

Navigation equipment

Navigation equipment: 2x Sailor RT144 VHF

Radio Holland RHRS-2005-RC daylight radar Eprom EP401 river autopilot (follow-up steering)

& follow up steering Furuno GP-39 GPS

Furuno Automatic Identification System (AIS)

Nautic tachograph

Eprom rate-of-turn indicator Eprom rudder indicator

camera system

window wiper navigation lights

Rigging and sails

Mast: radarmast

aluminium

Lowerable: yes

electric 400 Volt

Equipment

Anchor equipment:	400 Volt electric anchor winch
	2x Klipp anchor
	in hawse-hole
	warping drum
Dinghy:	Rigiflex New Magic 360 Plastic
	outboard engine
Safety:	life buoys
	life jackets
	fire extinguishers
	according to the certification requirements
Additional information:	steering chair
	car crane 1500 kg @ 7,50 m
	Survey report of the underwatership is available (10-2021)











































































































