











Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



# Van de Stadt Pionier 10

Dimensions (m) 9.70 x 3.00 x 1.75 Ref. no. 150902

Mooring Near Dordrecht, Netherlands Year 1971

Material GRP

#### Vision Doeve Brokers

Classic Cruiser / racer of the famous E.G. van de Stadt. Perfectly maintained and equipped with a lot of modern equipment. We think there is no equal yacht can be found at the moment. She is a good and fast sailer. Highly recommended.

#### General information

Yard: Yard E.G. van de Stadt, NL-Zaandam

Designer / Architect: E.G. van de Stadt

Hull shape: round bilged

Hull material: GRP

Deck material: GRP

Superstructure material: GRP

Construction method: self-draining cockpit

teak in cockpit

teak on cockpit bench

Keel: bulbous keel

Steering system: tiller

Displacement (approx.): 4000 kg

Ballast (approx.): 1800 kg

Airdraft (approx.): 14,40 m

Owner: Dutch owner

Colour / Paint System: yellow hull

white superstructure grey superstructure

two component system (Awl-Grip & De IJssel)

Suitable for / as: seaworthy

Additional information: cabin sailing yacht with cockpit

classic sailing yacht

cruiser/racer

#### **Technical information**

Enginepower: 18 Hp

13 kW

Engine brand: Volvo Penta Revolutions: 3200 RPM

Engine model: 2002HE inboard engine

Number of cylinders: 2
Construction year engine: 1991
Overhaul engine: 2007

Running hours (approx.): 250 after overhaul

Fuel: diesel Fuel tank (approx.): 40 litre

1 stainless steel tank(s)

Debug system

Cooling system: intercooling

wet exhaust

Propulsion: 3 blade propeller

water lubricated propeller shaft

Autostream feathering propeller

Spurs rope cutter

Gearbox: mechanical

reduction/ratio 2,37:1

Heating: We Airtop 2000ST hot air heating

on diesel

2014

Engine instruments: present Electricity system: 12 Volt

12 VOIL

230 Volt shore power connection

Batteries: 1x 55 Ah starter batterie(s) Optima Red Top

2x 100 Ah domestic batterie(s) Victron Gel

Battery charger: Victron Phoenix battery charger 12/30

Fresh water tank (approx.): 140 litre

2 plastic tank(s)

Water pressure system: electric water pump

Holding tank (approx.): 25 litre

1 plastic tank(s)

Diesel waterseparator: present

Bilge pump: manual pump

Gas system: present

camping gas

#### Accommodation

Interior: mahogany finish

well maintained

see photographs

Berth: sleeping places 5

Forward: 2x 1-pers in V

Quarter berth: 1x 1-pers

Salon: 2x 1-pers

Toilet / Heads: Jabsco pumptoilet

washbasin

cold running water

Cooker: Plastimo Neptune 2000 2-burner hob

on gas

stainless steel

gimbals

Oven: grill

Fridge / Refrigerator: Supercool LK 03-12V coolbox

Washbasin: stainless steel sink Water tap: cold running water

Entertainment: Blaupunkt

Headroom (approx.): forward (approx.) 1,50 m

toilet (approx.) 1,80 m

salon (approx.) 1,84 / 1,89 m

Additional information: cutlery and crockery

### Navigation equipment

Navigation equipment: Plastimo Contest compass

Furuno GP-32 GPS & RD-30 repeater
Shipmate RS8300 VHF
Raymarine C-80 chartplotter / radar
Autohelm ST-50 log / speed
Autohelm ST-50 depth / echosounder
Autohelm ST-50 windset
Navico 5000 autopilot
clock
barometer
navigation lights

# Rigging and sails

1 1 9 9 1 1 9 1 1 1 1 1 1 1 1 1 1 1 1 1	
Rigging type:	masthead sloop rigged
Mast:	aluminium (Sparcraft)
Lowerable:	no
Boom:	aluminium (Sparcraft)
Winches:	2x Lewmar 44 ST 2 speed sheet winch
	2x Barient 24 ST 2 speed sheet winch
	1x Barient 10 halyard winch
	1x Barbarossa 2 speed halyard winch
	1x Barient halyard winch
Material of the sails:	Dacron
Sails:	North mainsail
	Diamond Roller Furling Genoa 135%
	Lion Solent Roller Furling Jib
	De Vries jib
	De Vries storm jib
	2x De Vries spinnaker starcut & radiaal
Roller Reefing system:	Furlex 207 furling genoa reefing system
Additional information:	Dy-form standing rigging (2008)
	Seashure backstay adjuster
	rodkicker
	spinnaker boom & Jockey pole
	Lazy Jacks
	Cunningham hole

### Equipment

Ечаритент	
Anchor equipment:	4 kg Fortress anchor
	8 mm chain
	40 m anchor line
	specified length(s) is/are approximate
Sprayhood:	present (2015)
Boarding ladder:	present
Searail / Pulpit:	2 wire stainless steel searail
	stainless steel bow & stern pulpit
Safety:	1x life buoy
	4-pers liferaft without certificate

Firdell radar reflector

fire blanket

Additional information:

fenders

cockpit table