











Doeve Brokers/Valuars vof Sworn & EMCI Certificated Brokers & Valuers S&P Yachts & Ships

Westhavenkade 87c NL-3133 AV Vlaardingen

Phone +31 (0)10 248 98 30 Mobile +31 (0)653 20 20 84

E-mail info@doevemakelaar.nl Website www.doevemakelaar.nl www.doeve.be www.doeve.fr

IBAN NL82 INGB 0664 0466 73 CoC Rotterdam 24266857 VAT NL8214.04.520.B01



Two-mast Seagoing Charter Clipper 22 pax

Dimensions (m) 36.00/31.60 x 6.08 x 1.50 Ref. no. 180201

Mooring Near Lemmer, Netherlands Year 1910

Material steel

Vision Doeve Brokers

The "Skylge" is a beautifully built two-mast clipper which came into service as a sailing cargo vessel in 1910. The vessel was built under Lloyd's Class with the Wad and Sont (North Sea & Baltic) as a trading area. In 1986 the vessel was converted into a charter boat. The ship has spacious guest accommodations with decent sanitary facilities. There is place for 22 hotel guests or 35 day guests. The vessel has the ideal dimensions to navigate the western part of the Baltic Sea, but she is also very suitable on the German Wadden Sea. She has in the aft cabin a nice crew quarters and also a crew cabin in the foc's hole. In 2011/2012, the engine room was completely refitted and, among other things, a new engine was installed (in total about 120,000 Euro cost). A good ship with many possibilities. For an additional charge, new Dutch certificates can be supplied.

General information

Yard: Shipyard Wed. D. van Suijlekom, NL-Raamsdonksveer Rebuilt year: 1986 Hull shape: flatbottom round bilges Hull material: steel Deck material: steel & hardwood riveted Construction method: new steel is welded wide side decks (gunnels) rubbing strake around bulwark deckhouse clipper bow Sturdy, heavily constructed 3 watertight bulkhead(s) 1 watertight door(s) Steering system: mechanical wheel on steering pedestal 2x steel rudder Windows: hardwood window frames hardwood outside doors Displacement (approx.): 129 BT 59 NT Ballast (approx.): poured concrete 25,90 m Airdraft (approx.): Owner: **Dutch** owner Registration: B-registered Costs for the change of ownership and / eventually deletion are for purchasers amount. black hull Colour / Paint System: blue bulwark white superstructure see photographs overdue maintenance Certificates: certicaten expired EU 2009/45/EC passengers including crew Register Holland Commercial Sailing Vessel Z 1,2,3,4, No Ice sailing area II, NSI 16 Special Purpose Ship Safety Certificate Suitable for / as: coastal waters commercial shipping useful as charter suitable as a year round live- aboard General information: Know-how and information about sailing areas can be passed on. Additional information: 35 day guests 22 hotel guests

forepeak with chain locker

classic lines

beautiful sheer

Specified beam excludes the leeboards.

Hull shape is suitable for drying out.

Great vessel for cruising on the coastal waters.

Technical information

Enginepower: 175 Hp

129 kW

Engine brand: Perkins
Revolutions: 2100 RPM
Engine model: M185C

Number of cylinders: 6
Construction year engine: 2012
Running hours (approx.): 1900
Fuel: diesel

Fuel tank (approx.): 1400 litre

70 litre

steel tank(s)

glass gauge to tank(s)

Cooling system: intercooling

Gearbox:

dry exhaust

insulated exhaust

Propulsion: 3 blade propeller

greased lubrication of propeller shaft

PRM 1000 hydraulic (2012)

reduction/ratio 4:1

Speed (approx.): 7 knots cruising speed at 1500 RPM

9,5 knots top speed at 2100 RPM

Heating: Baxiroca Gavina 20GT central heating (2012)

on diesel

hot water tap

Electricity system: 24 / 230 Volt

230 Volt shore power connection

Victron VE bus Multicontrol

Batteries: 2x 80 Ah starter batterie(s) (2021)

480 Ah traction batterie bank (2021) 1x 72 Ah starter batterie(s) generator

2x 230 Ah emergency batterie(s)

2x 102 Ah GMDSS

Battery charger: 1x Victron MultiPlus Compact combi inverter/charger 24/1600/40

Victron Phoenix battery charger 24/16

Voltcraft BC-024-10 battery charger 24/10

Earth-leakage breaker: present

Genny: Paguro 9000 whisper set 9 kW / 230 Volt

Lombardini LMG 9000 diesel

2550 running hours (approx.)

startcircuit defect

Inverter: 1x Victron MultiPlus Compact combi inverter/charger 24/1600/40

inverter 24-12 Volt

Fresh water tank (approx.): 5000 litre

2 steel tank(s)

cemented tank(s)

Water pressure system: Speck hydrophore pump

Fresh water filter system: 1x filter

Hot water system: 120 ltr boiler/water calorifier (2012)

through the central heating

Holding tank (approx.): 4100 litre

3 steel tank(s)

Diesel waterseparator: diesel waterseparator

Engineroom: sound insulated engineroom

well maintained

see photographs

2011/2012 vernieuwd / renewed / erneuert / renouvelé

Bilge pump: 1x general service pump

also deckwash pump

Gas system: yes, bottle(s) in bottle box on deck

Accommodation

Interior: various materials have been used

see photographs

Insulation: Rockwool

Cabins: 9 cabins

Lay-out plan (not to scale): see attachment

Bathroom: guest cabins with wash basin

hot & cold running water

2x bathrooms, each equipped with:

washbasin with hot & cold running water

shower

thermostat tap

in 1 area together with the toilet

crew quarters:

shower

washbasin with hot & cold running water

Toilet / Heads: guest accommodation:

2x electric toilet

crew quarters:

1x toilet

Galley: 2x U-shape galley

Cooker: 4-burner hob

& 3-burner hob

Oven: gas oven

Fridge / Refrigerator: 1x combination with freezer

1x fridge / refrigerator

Freezer: 1x freezer

Worktop: 2x

Washbasin: 2x stainless steel sink

1x stainless steel sink Water tap: 2x mixer tap with hot & cold running water **Entertainment:** radio/CD player Headroom (approx.): cabins (approx.) 2,03 / 2,33 m bathroom / toilet (approx.) 1,93 m salon (approx.) 2,00 m galley (approx.) 1,96 m corridor / walkthrough (approx.) 1,80 m aftcabin (approx.) 1,94 / 1,96 m galley (approx.) 1,86 m shower (approx.) 2,04 m toilet (approx.) 1.93 m corridor / walkthrough (approx.) 2,03 m Additional information: useful as charter useful as live-aboard cutlery and crockery

Navigation equipment

Navigation equipment:

JRC J-NAV 500 GPS

JRC NCR 300A Navtex (defect)

ARC Nauticast Automatic Identification System (AIS)

Sailor RM2042 VHF with DSC

Debeg 6348 VHF

compass niet / not / nicht /ne pas 100%)

navigation lights

Navman depth / echosounder (gedemonteerd / disassembled / zerlegt / démonté)

Navman log / speed (repeater gedemonteerd / disassembled / zerlegt / démonté)

Navman GPS repeater (gedemonteerd / disassembled / zerlegt / démonté)

2x Navico GMDSS portofoon

Safe Sea S100 SART

Satelite 406 EPIRB

Rigging and sails

Rigging type: gaff ketch rigged Mast: 2x larch Lowerable: no Boom: 2x larch Gaff: 2x larch Jib boom / Bowsprit: wooden bowsprit Leeboards: Bankirai wooden leeboards 2x Strikwerda leeboards winch Material of the sails: Dacron Sails: mainsail 123 m2 mizzen 65 m2 boom jib 56 m2 inner yankee 42 m2 outer yankee 42 m2

	flyer 33 m2
Additional information:	sail covers
	jibboom
	pin rail

Equipment

Anchor equipment:	manual anchor winch
	double gipsy
	warping drum
	2x Klipp anchor
	2x 100 m anchor chain
	in hawse-hole
	specified length(s) is/are approximate
Searail / Pulpit:	searail on bulwark
Safety:	automatic fire extinguishing system in engine room
	fire extinguishers
	fire blanket
	smoke detector(s)
	life jackets
	life buoys
Additional information:	3x hard wooden skylight
	gangway
	deck lights
	sundeck
	Survey report of the underwatership is available (10-2013)



























































































































